Distributor Hawaii & Guam
EVERGREEN BY DEBRA, LLC
• Ceramic & Glass Tile • Art Images in Hard Surfaces
• Planters in Ceramic & Fiberglass • Diamond Tools
Woman Owned Small Business
Certified DBE
47-388 Kamehameha Hwy
Kaneohe, HI 96744-4736 USA
Ph 808-239-6599 Fax 808-239-8556
EvergreenbyDebra.com

Water

Beautiful mosaics meet the colors of nature.

—

Pool Collections

TREND®
Born with style

Diving in a mosaic of emotions.



We create the perfect bond between glass and color and merge them into beautiful and innovative designs.

Beautiful mosaics. Exquisitely designed.

TREND glass effortlessly reflects the brightness of the sky and water. A classic and elegant covering, it integrates seamlessly in and around swimming pools. TREND mosaics guarantee quality, long life, resistance and easy maintenance, making them the ideal choice to add long-lasting value.



Crafted by Nature, Designed with Style.

Vitreo 122
(2 x 2 cm | 3/4" x 3/4")

A global leader in sustainability

TREND Group's mosaics are manufactured using **up to 78% post-consumer recycled glass** and 60% less raw material, combining technological advances with environmental awareness.

TREND USA Ltd.
MEMBER SINCE 2006





Bringing beauty to the lives of our clients is what moves us forward each day.

Colours shown are indicative and they can have different shades. The color of the water presented is to be considered as purely indicative. The actual coloring of the water can vary depending on weather conditions, pool depth and many other factors.

Bulgari Hotel
Milan, Italy

Aureo 001/W, 001/F | Brillante 236
(1 x 1 cm | 3/8" x 3/8")
Architect: Antonio Citterio & Partners

Fast, easy and safe installation

TREND's installation system represents **the best solution for the installation of mosaic in any environment**, including where there is direct contact with water, such as in steam baths and swimming pools. TREND's pre-mounted support guarantees maximum flexibility of the sheets while ensuring stable and secure support during installation without detachment of the tiles.

Click here to discover TREND PLUS pre-mounted support



Quality, long life, resistance, easy maintenance

TREND Group is one of few organisations that wholly owns, manufactures and distributes its goods directly to more then 50 countries. This ownership **guarantees the highest level of product and service quality** throughout production facilities, assembly units and offices located across four continents.

Color Palette References

TREND embodies beauty and simplicity, allowing you to express your creativity while easily creating your own custom project.

Click the image to discover more about each project

Water Green

CAD Mosaic


Custom mix


Custom mix

Vitreo 111


Custom mix


Custom mix


CAD Mosaic

CAD Mosaic

CAD Mosaic


Custom mix


Custom mix


Water Garden

CAD Mosaic

CAD Mosaic

Murano 2


CAD Mosaic


CAD Mosaic


Custom mix

CAD Mosaic

Sand


Custom mix


Custom mix


Brillante 231

Dakar mix

Click the image to discover more about each project

Light Blue


Custom mix

Freshness mix

CAD Mosaic


Custom mix

Artistic Mosaic

Vitreo 122


Water Wings


Custom mix


CAD Mosaic


Custom mix

Wahoo mix

Borders

Sky Blue


Tulum mix

Summertime mix

Custom mix

Summertime mix

Custom mix


Vitreo


Square 242


Custom mix

Eucalyptus shading blend


Square 242

Vitreo 140


Custom mix

Click the image to discover more about each project

CAD Mosaic

Venetian Smalti Orsoni

CAD Mosaic


Torcello 1

Vitreo 130

Rectangular 239

Dark Blue

Custom Mosaic


Custom mix 1 x 1


Wavy mix

Vitreo 132


Custom mix


Water Flower

Vitreo 132


Blue Streaks

Custom Mosaic

Red


Custom mix

Venetian Smalti Orsoni

CAD Mosaic

Vitreo 206

CAD Mosaic


CAD Mosaic

CAD Mosaic

Coral Satin

Multicolor

CAD Mosaic

Click the image to discover more about each project

Gold


Aureo 001/W

Custom Shading Blend

Aureo border

Aureo 024

CAD Mosaic


Custom mix 1 x 1


Aureo 025

Aureo 001/F


Custom Mix


Aureo 002/F


Aureo 003/F


Nautical mix

Green

Smalti Veneziani Orsoni

CAD Mosaic


Brillante 236

CAD Mosaic

Sage Shading Blend


CAD Mosaic

Custom mix


Custom mix

Jasmin Shading Blend

Venetian Smalti Orsoni

Custom Mosaic

Click the image to discover more about each project

White


CAD Mosaic

CAD Mosaic


Artistic Mosaic

Custom mix

Custom mix 1 x 1

Purity mix

Black

Custom mix

Custom mix


Karma 953

Brillante 260

Custom mix

Grey


Custom mix

Custom mix 1 x 1

Twin Dolphins

Simphony Mix


Liberty Diamond

Simphony Mix

Custom mix


Custom mix

Purple


Custom mix


Custom mix

CAD Mosaic


Custom mix


Custom mix



Endless possibilities for pools

Santa Marina Resort
Mykonos, Greece



CAD Custom Design
(1 x 1 cm | 3/8" x 3/8")

Santa Marina Resort
Mykonos, Greece

CAD Custom Design
(1 x 1 cm | 3/8" x 3/8")

Bulgari Hotel
Milan, Italy

Aureo 001/F (1 x 1 cm | 3/8" x 3/8")
Brillante 236 (1 x 1 cm | 3/8" x 3/8")
Architect: Citterio & Partners

Bulgari Hotel
Milan, Italy

Aureo 001/F (1 x 1 cm | 3/8" x 3/8")
Brillante 236 (1 x 1 cm | 3/8" x 3/8")
Architect: Citterio & Partners



Bulgari Resort
Dubai, UAE

Custom mix
Brillante 233 (31%), 235 (32%), 236 (32%),
Aureo Platinum 029 (5%)
(1 x 1 cm | 3/8" x 3/8")
Architect: Antonio Citterio & Partners

Bulgari Resort
Dubai, UAE



Custom mix
Brillante 233 (31%), 235 (32%), 236 (32%),
Aureo Platinum 029 (5%)
(1 x 1 cm | 3/8" x 3/8")
Architect: Antonio Citterio & Partners

Bulgari Resort
Dubai, UAE



Custom mix
Brillante 233 (31%), 235 (32%), 236 (32%),
Aureo 024 (5%)
(1 x 1 cm | 3/8" x 3/8")
Architect: Antonio Citterio & Partners

Private Pool
Stuttgart, Germany

Custom shading blend
Modern Aureo 024, 025, Brillante 240, 241, 242, 243, 244,
Vitreo 121, 122, 123 (2 x 2 cm | 3/4" x 3/4")

Private Pool
Stuttgart, Germany

Custom shading blend
Modern Aureo 024, 025, Brillante 240, 241, 242, 243, 244,
Vitreo 121, 122, 123 (2 x 2 cm | 3/4" x 3/4")



Mandarin Oriental Hotel
Paris, France

Brillante 231 (2 x 2 cm | 3/4" x 3/4")
Lux 396 (1,5 x 1,5 cm | 5/8" x 5/8")
Architect: SM Design

Mandarin Oriental Hotel
Paris, France



Brillante 231 (2 x 2 cm | 3/4" x 3/4")
Lux 396 (1,5 x 1,5 cm | 5/8" x 5/8")
Architect: SM Design
Photo: Dal Bosco



Private Pool

Artistic mosaic
Murano 2 | Murrine collection
Hand cut (1 x 1 cm | 3/8" x 3/8")
Photo: Urnato

Private Pool
Palamós, Spain

Artistic mosaic
Murano 2 | Murrine collection
Hand cut (1 x 1 cm | 3/8" x 3/8")



Private Villa
Alexander Brenner Architect
Stuttgart, Germany

Liberty Diamond
Architect: Alexander Brenner
Photo: Zooey Braun

Private Villa
Alexander Brenner Architect
Reutlingen, Germany



Liberty Diamond
Architect: Alexander Brenner
Photo: Zooey Braun

Private Pool
Cannes, France

Liberty Diamond

Four Seasons Hotel Moscow
Pool and SPA
Moscow, Russia

Panels: Custom Design
Artistic Mosaic (1 x 1 cm | 3/8" x 3/8")
Pool: Custom mix
Brillante 260 (60%), 228 (30%), 227 (10%)
(2 x 2 cm | 3/4" x 3/4")



Four Seasons Hotel Moscow
Pool and SPA
Moscow, Russia

Panels: Custom Design
Artistic Mosaic (1 x 1 cm | 3/8" x 3/8")
Pool: Custom mix
Brillante 260 (60%), 228 (30%), 227 (10%)
(2 x 2 cm | 3/4" x 3/4")

Four Seasons Hotel Moscow
Pool and SPA
Moscow, Russia

Custom mix
Brillante 260 (60%), 228 (30%), 227 (10%)
(2 x 2 cm | 3/4" x 3/4")

Four Seasons Hotel Moscow
Pool and SPA
Moscow, Russia

Panels: Custom Design
Artistic Mosaic (1 x 1 cm | 3/8" x 3/8")
Pool: Custom mix
Brillante 260 (60%), 228 (30%), 227 (10%)
(2 x 2 cm | 3/4" x 3/4")



Four Seasons Hotel Moscow
Pool and SPA
Moscow, Russia

Custom Design
Vitreo 160, Brillante 224, 227, 228, Aureo 028
Artistic mosaic (1 x 1 cm | 3/8" x 3/8",
2 x 2 cm | 3/4" x 3/4")

Andaz Dubai The Palm
Dubai, UAE



Pool: Custom design
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Andaz Dubai The Palm
Dubai, UAE

Pool: Custom design
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Andaz Dubai The Palm
Dubai, UAE



Pool: Custom design
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

DESIGN LAYOUT OF THE PROJECT:

Private Pool & Spa
Munich, Germany





Custom design: Vitreo, Brillante, Feel
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Photo: W. Ortiz



Private Pool & Spa
Munich, Germany

Custom design: Vitreo, Brillante, Feel
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Photo: W. Ortiz

Coral Satin
Private pool



Coral Satin
CAD mosaic (1 x 1 cm | 3/8" x 3/8")

Blue Streaks
Private pool

Blue Streaks
Artistic mosaic (1 x 1 cm | 3/8" x 3/8")

Myconian Collection
Mykonos, Greece



Custom design | Vitreo, Brillante, Shining
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Myconian Collection
Mykonos, Greece



Custom design | Vitreo, Brillante, Shining
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Private Villa
Tel Aviv, Israel

Custom Design
Glamour Collection
Design by Marco Nereo Rotelli

Private Villa
Bodrum, Turkey

Glamour Collection
028, 030, 031, 050, 060
(9,1 x 9,1 cm | 3 5/8" x 3 5/8")
Photo: Dal Bosco



Hotel Missoni
Kuwait



Custom design | Vitreo
CAD Mosaic (2 x 2 cm | 3/4" x 3/4")



Hotel Missoni
Kuwait







Custom design | Vitreo
CAD Mosaic (2 x 2 cm | 3/4" x 3/4")

CU iHouse Apartment
Bangkok, Thailand

DESIGN LAYOUT OF THE PROJECT:



Custom design | Vitreo
CAD Mosaic (2 x 2 cm | 3/4" x 3/4")
Project: Bel Vedere



Doubletree by Hilton
Sukhumvit Bangkok, Thailand





Custom design | Vitreo
CAD Mosaic (2 x 2 cm | 3/4" x 3/4")
Project: Bel Vedere



Villa Loiseau Des Sens
Saulieu, France

Custom design | Shading blend and decor
Vitreo, Brillante, Aureo
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Arch: Atelier Correia
Architectes & Associés

Villa Loiseau Des Sens
Saulieu, France

Custom design | Shading blend and decor
Vitreo, Brillante, Aureo
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Arch: Atelier Correia
Architectes & Associés

Villa Loiseau Des Sens
Saulieu, France

Custom design | Shading blend and decor
Vitreo, Brillante, Aureo
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Arch: Atelier Correia
Architectes & Associés

Hotel Bellevue
Losinj, Croatia

Custom Design | Vitreo, Brillante
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Viola Pool
Perth, Australia



Custom Design | Vitreo, Brillante
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Viola Pool
Perth, Australia

Custom Design | Vitreo Brillante
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Viola Pool
Perth, Australia

Custom Design | Vitreo, Brillante
CAD mosaic (2 x 2 cm | 3/4" x 3/4")



Private Villa
Lugano, Switzerland

TREND MIX PROPOSALS:

KAMARI

154
155
260

MAUI



155
208
798

Custom mix: Brillante 260,
Modern Aureo Platinum White 029
(2 x 2 cm | 3/4" x 3/4")
Photo: Piantanida

Private Villa
Lugano, Switzerland

Custom mix: Brillante 260,
Modern Aureo Platinum White 029
(2 x 2 cm | 3/4" x 3/4")
Photo: Tresoldi

Private Villa
Miami Beach, FL, USA

Custom mix: Shining 796 (49%), 760 (49%)
Aureo Platinum 028 (1%), 029 (1%)
(1 x 1 cm | 3/8" x 3/8")
Photo: Dal Bosco

Private Villa
Miami Beach, FL, USA

Custom mix: Shining 796 (49%), 760 (49%)
Aureo Platinum 028 (1%), 029 (1%)
(1 x 1 cm | 3/8" x 3/8")
Photo: Dal Bosco

Private Villa
France



Custom design
Vitreo, Brilante, Shining, Feel
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Creation by Miracleroom

Private Villa
France

Custom design
Vitreo, Brilante, Shining, Feel
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Creation by Miracleroom

Private Pool
Water wings decoration



WATER WINGS 1

WATER WINGS 2





Gallery Plaza
San Juan, Puerto Rico

Custom design | Vitreo, Brillante, Shining
(2 x 2 cm | 3/4" x 3/4")

Gallery Plaza
San Juan, Puerto Rico

Custom Design | Vitreo, Brillante, Shining
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
LRA Architects
Photo: Moris Moreno

Gallery Plaza
San Juan, Puerto Rico

TREND MIX PROPOSAL:

DREAM



120
121
122



Custom Design | Vitreo, Brillante, Shining
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
LRA Architects
Photo: Moris Moreno

Gallery Plaza
San Juan, Puerto Rico



Custom Design | Vitreo, Brillante, Shining
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
LRA Architects
Photo: Moris Moreno

Wall: Custom design
CAD mosaic (1 x 1 cm | 3/8" x 3/8")
Pool: Custom mix
Vitreo 137 (33%), 138 (33%), Brillante 225 (34%)
(2 x 2 cm | 3/4" x 3/4")

Digital Image

Size : 20.234 m x 2.12 m = sqm 42.99

Render

Detail

The Butterflies Pool
Private House, Australia

The Butterflies Pool

Private House, Australia

Wall: Custom design
CAD mosaic (1 x 1 cm | 3/8" x 3/8")
Pool: Custom mix
Vitreo 137 (33%), 138 (33%), Brillante 225 (34%)
(2 x 2 cm | 3/4" x 3/4")



The Butterflies Pool
Private House, Australia



Wall: Custom design
CAD mosaic (1 x 1 cm | 3/8" x 3/8")
Pool: Custom mix
Vitreo 137 (33%), 138 (33%), Brillante 225 (34%)
(2 x 2 cm | 3/4" x 3/4")

Aldemar Olympian Village
Skafidia, Greece

Custom Design | Vitreo
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Photo: Dal Bosco

Aldemar Olympian Village
Skafidia, Greece

Custom Design | Vitreo
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Photo: Dal Bosco

Aldemar Olympian Village
Skafidia, Greece



Custom Design | Vitreo
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Photo: Dal Bosco

Private Villa
France

Pool: Custom design
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Creation by Miracleroom | Photo: Maisondazur

Private Villa
France

Pool and wall: Custom design
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Creation by Miracleroom | Photo: Maisondazur

Tropical design decorates all areas of the house, from the pool to the interiors

Custom Design | Vitreo, Brillante, Shining
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Architect: Sinar Teknik

The Sudirman Villa
Medan, Indonesia

TREND PROPOSALS:
PEONIA DECOR

VITREO 160



The Sudirman Villa
Medan, Indonesia

Custom Design | Vitreo, Brillante, Shining
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Architect: Sinar Teknik

Private Pool
Sozopol, Bulgaria

DESIGN LAYOUT OF THE PROJECT:

TREND MIXES PROPOSALS:

SIMPHONY



PURITY

Private Pool
Sozopol, Bulgaria

Custom design | CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Private Pool
Sozopol, Bulgaria

TREND PROPOSALS:

AQUARIUM



ROSA BLU

Custom design | CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Private Pool
Rome, Italy

Custom mix
(1 x 1 cm | 3/8" x 3/8")

Private Pool
Rome, Italy

Custom mix
(1 x 1 cm | 3/8" x 3/8")

Victor Hotel
Miami Beach, FL, USA





Custom design | Vitreo 155, 167,168
Mixed technique mosaic
(2 x 2 cm | 3/4" x 3/4")
Photo: Dal Bosco

Victor Hotel
Miami Beach, FL, USA

Custom design | Vitreo 155, 167,168
Mixed technique mosaic
(2 x 2 cm | 3/4" x 3/4")
Photo: Dal Bosco

Victor Hotel
Miami Beach, FL, USA





DESIGN LAYOUT
OF THE PROJECT

Custom design | Vitreo 155, 167,168
Mixed technique mosaic
(2 x 2 cm | 3/4" x 3/4")
Photo: Dal Bosco

Private Residence
Miami Beach, FL, USA

Custom mix and border | Vitreo, Aureo 002/F
(2 x 2 cm | 3/4" x 3/4")
Photo: Dal Bosco

Private Residence
Miami Beach, FL, USA

Custom mix and border | Vitreo, Aureo 002/F
(2 x 2 cm | 3/4" x 3/4")
Photo: Dal Bosco

Mandarin Oriental Hotel
Bangkok, Thailand

Custom Design | Brillante, Aureo
CAD mosaic (2 x 2 cm | 3/4" x 3/4")



Mandarin Oriental Hotel
Bangkok, Thailand

Custom Design | Brillante, Aureo
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Mandarin Oriental Hotel
Bangkok, Thailand



Custom Design | Brillante, Aureo
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Private Home
Medan, Indonesia





Custom Design | Vitreo, Brillante, Shining
CAD mosaic (2 x 2 cm | 3/4" x 3/4")



Custom mix: Vitreo 120, Brillante 216, 235, 239 (1 x 1 cm | 3/8" x 3/8")

Château de Saint-Félix
Saint-Félix-de-Pallières, France

Private Home
Medan, Indonesia

GIGLIO



Custom Design | Vitreo, Brillante, Shining
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Residential Pool
Thailand

VITREO 130



Custom mix
Vitreo 130, 138
(2 x 2 cm | 3/4" x 3/4")



Private Pool



Rectangular 239 (2 x 4 cm | 3/4" x 1 1/2")

Rixos Marina Abu Dhabi
Abu Dhabi, UAE

Custom Design | Vitreo, Brillante, Shining
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Rixos Marina Abu Dhabi
Abu Dhabi, UAE

INSTALLATION OF THE MOSAIC

DESIGN LAYOUT OF THE PROJECT





Custom Design | Vitreo, Brillante, Shining
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Murrine Pool



Torcello 1 | Murrine collection
CAD Mosaic (1 x 1 cm | 3/8" x 3/8")

Murrine Pool



Torcello 1 | Murrine collection
CAD Mosaic (1 x 1 cm | 3/8" x 3/8")



The Third Wave,
Jumping towers
Swimming Center,
Tampere, Finland

Artist mosaicist:
Tuula Lehtinen

Unique Venetian Smalti Projects

Orsoni
VENEZIA 1888

The Third Wave | Jumping Towers
Swimming Center, Tampere, Finland



Work of art made with Venetian Smalti
Artist mosaicist: **Tuula Lehtinen**

The Third Wave | Jumping Towers
Swimming Center, Tampere, Finland

Work of art made with Venetian Smalti
Artist mosaicist: **Tuula Lehtinen**

The Third Wave,
Jumping towers
Swimming Center,
Tampere, Finland

Artist mosaicist:
Tuula Lehtinen

Leilas Garden
Pikkupalatsi Sauna
Tampere, Finland

Work of art made with Venetian Smalti
Artist mosaicist: **Tuula Lehtinen**



Leilas Garden
Pikkupalatsi Sauna
Tampere, Finland

Work of art made with Venetian Smalti
Artist mosaicist: **Tuula Lehtinen**

Leilas Garden
Pikkupalatsi Sauna
Tampere, Finland

Work of art made with Venetian Smalti
Artist mosaicist: **Tuula Lehtinen**

Leilas Garden
Pikkupalatsi Sauna
Tampere, Finland

Work of art made with Venetian Smalti
Artist mosaicist: **Tuula Lehtinen**

The Coral Mosaic
Private Collection, Italy

Work of art made with Venetian Smalti
Artist mosaicist: **Koko Mosaico**

Work of art made with Venetian Smalti
Artist mosaicist: **Koko Mosaico**

Tropic Shower
Private Residence
Coral Gables, FL, USA

Tropic Shower
Private Residence
Coral Gables, FL, USA

Work of art made with Venetian Smalti



Creating longlasting value for pools

The Library Resort
Koh Samui Island, Thailand



Custom mix | Vitreo 204, 205, 206
(2 x 2 cm | 3/4" x 3/4")



The Library Resort
Koh Samui Island, Thailand

Custom mix | Vitreo 204, 205, 206
(2 x 2 cm | 3/4" x 3/4")

The Library Resort
Koh Samui Island, Thailand

Custom mix | Vitreo 204, 205, 206
(2 x 2 cm | 3/4" x 3/4")

The Library Resort
Koh Samui Island, Thailand



Custom mix | Vitreo 204, 205, 206
(2 x 2 cm | 3/4" x 3/4")

Private Residence
Melburne, Australia

Brillante 260
(2 x 2 cm | 3/4" x 3/4")



Private Residence
Melburne, Australia





Brillante 260
(2 x 2 cm | 3/4" x 3/4")

Private Pool
Italy

Dakar mix
(2 x 2 cm | 3/4" x 3/4")

TREND MIX PROPOSALS:

BRONZE

087

BIKINI

180
181

PANAREA

180
181
182
279



Grande Real Villa Italia Hotel
Cascais, Portugal

Custom mix,
Vitreo 180, 182, 183 (2 x 2 cm | 3/4" x 3/4")
Border, Aureo 003/F (2 x 2 cm | 3/4" x 3/4")
Photo: Dal Bosco

Grande Real Villa Italia Hotel
Cascais, Portugal

Custom mix,
Vitreo 180, 182, 183 (2 x 2 cm | 3/4" x 3/4")
Border, Aureo 003/F (2 x 2 cm | 3/4" x 3/4")
Photo: Dal Bosco



Grande Real Villa Italia Hotel
Cascais, Portugal

Victorian mix
104 (20%), 138 (20%), 236 (20%), 238 (29%), 239 (20%)
(2 x 2 cm | 3/4" x 3/4")
Photo: Dal Bosco

Grande Real Villa Italia Hotel
Cascais, Portugal







Victorian mix
104 (20%), 138 (20%), 236 (20%), 238 (29%), 239 (20%)
(2 x 2 cm | 3/4" x 3/4")
Photo: Dal Bosco

Hotel La Praia
Vibo Valentia, Italy



Custom mix: Vitreo 150 (15%), 152 (15%),
165 (35%), 166 (35%) (2 x 2 cm | 3/4" x 3/4")
Project: Ing. Gianfranco Mesiano, Antonio Iania
Silpa Impianti | Photo: Croma Due

Hotel La Praia
Vibo Valentia, Italy

Custom mix: Vitreo 150 (15%), 152 (15%), 165 (35%), 166 (35%) (2 x 2 cm | 3/4" x 3/4")
Project: Ing. Gianfranco Mesiano, Antonio Iania
Silpa Impianti | Photo: Croma Due

Private Pool
Thailandia



Custom mix | Brillante
(2 x 2 cm | 3/4" x 3/4")
Project: Bel Vedere

The Base Height Building
Phuket, Thailand





Custom Mix | Vitreo , Shining
(2 x 2 cm | 3/4" x 3/4")
Project: Bel Vedere

The Base Height Building
Phuket, Thailand





Custom Mix | Vitreo , Shining
(2 x 2 cm | 3/4" x 3/4")
Project: Bel Vedere

Private House
Bangkok, Thailand



Custom Mix
Vitreo, Brillante
(2 x 2 cm | 3/4" x 3/4")
Project: Bel Vedere

The Lumpini 24
Bangkok, Thailand





Custom Mix (2 x 2 cm | 3/4" x 3/4")
Project: Bel Vedere

Private Pool
Thailand





Custom Mix | Vitreo
(2 x 2 cm | 3/4" x 3/4")
Project: Bel Vedere

Crown Metropol
Burswood Entertainment Complex
Burswood Wa, Australia



Custom Mix
Vitreo 122 (70%), Brillante 241 (30%)
(2 x 2 cm | 3/4" x 3/4")

Custom Mix
Vitreo 122 (70%), Brillante 241 (30%)
(2 x 2 cm | 3/4" x 3/4")

Crown Metropol
Burswood Entertainment Complex
Burswood Wa, Australia

Crown Metropol
Burswood Entertainment Complex
Burswood Wa, Australia



Custom Mix
Vitreo 122 (70%), Brillante 241 (30%)
(2 x 2 cm | 3/4" x 3/4")

Crown Metropol
Burswood Entertainment Complex
Burswood Wa, Australia

Custom Mix
Vitreo 122 (40%), Brillante 241 (40%), Shining 825 (18%)
(2 x 2 cm | 3/4" x 3/4")





Crown Metropol
Burswood Entertainment Complex
Burswood Wa, Australia



Custom mix
Vitreo 122 (40%), Brillante 241 (40%),
Shining 825 (18%), Aureo 001/F (1%),
002/F (1%), (2 x 2 cm | 3/4" x 3/4")

Crown Towers
Perth, Western Australia

Custom mix | Vitreo, Brillante
(2 x 2 cm | 3/4" x 3/4")

Crown Towers
Perth, Western Australia



Custom mix | Vitreo, Brillante
(2 x 2 cm | 3/4" x 3/4")

Crown Towers
Perth, Western Australia

Custom mix | Vitreo, Brillante
(2 x 2 cm | 3/4" x 3/4")

Crown Towers
Perth, Western Australia

Custom mix | Vitreo, Brillante
(2 x 2 cm | 3/4" x 3/4")



Four Seasons Hotel
Abu Dhabi, UAE

Freshness mix
(2 x 2 cm | 3/4" x 3/4")
Photo: Guy Daniel

Four Seasons Hotel
Abu Dhabi, UAE







Freshness mix
(2 x 2 cm | 3/4" x 3/4")
Photo: Guy Daniel



Sage shading blends
(2 x 2 cm | 3/4" x 3/4")
Photo: Guy Daniel

Four Seasons Hotel
Abu Dhabi, UAE





Vitreo 119
(2 x 2 cm | 3/4" x 3/4")
Photo: Guy Daniel

Sage shading blends
(2 x 2 cm | 3/4" x 3/4")
Photo: Guy Daniel

Four Seasons Hotel
Abu Dhabi, UAE



Vitreo 119
(2 x 2 cm | 3/4" x 3/4")
Photo: Guy Daniel

Private Residence
Miami, Florida, USA



Jasmin shading blend | Friendship mix
(2 x 2 cm | 3/4" x 3/4")
Photo: G. Sabbagh

Hotel Clevelander

Miami Beach, Florida, USA

FRIENDSHIP



111
251
253



Custom mix (2 x 2 cm | 3/4" x 3/4")
Zyscovich architects
Photo: Dal Bosco

Hotel Clevelander
Miami Beach, Florida, USA



Custom mix (2 x 2 cm | 3/4" x 3/4")
Zyscovich Architects
Photo: Dal Bosco

Private Pool
Thailand

Custom mix | Vitreo
(2 x 2 cm | 3/4" x 3/4")
Project: Bel Vedere



Private House
Melbourne, Australia

Custom Mix | Vitreo 137, 138
(2 x 2 cm | 3/4" x 3/4")

Private Residence
Vaucluse, Australia

Vitreo 122
(2 x 2 cm | 3/4" x 3/4")

AlRayyan Hotel Doha
Doha, Qatar



DESIGN LAYOUT OF THE PROJECT



Custom mix
(2 x 2 cm | 3/4" x 3/4")



Water Flower
Mosaic decor



1

bianco assoluto

130
160



2

bianco assoluto

111
160

Water flower
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Module: 441 cm x 504 cm, 22,23 m²

Private House
Sydney, Australia

WHA00



241
243
841
843

Wahoo mix (2 x 2 cm | 3/4" x 3/4")

Private Pool
Dubai, UAE

Wavy mix
(2 x 2 cm | 3/4" x 3/4")

Private Pool
Boca Raton, FL, USA

Wavy mix
(2 x 2 cm | 3/4" x 3/4")

Wavy mix
(2 x 2 cm | 3/4" x 3/4")

Private Pool
Boca Raton, FL, USA

WAVY

240 (20%)
242 (20%)
841 (20%)
843 (20%)
844 (20%)

Private Pool
Boca Raton, Florida, USA

Wavy mix
(2 x 2 cm | 3/4" x 3/4")





Merville Residence
Lido di Jesolo, Venice, Italy

Custom design
Vitreo 120, 122, 124, 111
(2 x 2 cm | 3/4" x 3/4")



Merville Residence
Lido di Jesolo, Venice, Italy

Custom design
Vitreo 120, 122, 124, 111
(2 x 2 cm | 3/4" x 3/4")

Merville Residence
Lido di Jesolo, Venice, Italy

Custom design
Vitreo 120, 122, 124, 111
(2 x 2 cm | 3/4" x 3/4")



Merville Residence
Lido di Jesolo, Venice, Italy

Custom design
Vitreo 120, 122, 124, 111
(2 x 2 cm | 3/4" x 3/4")





Riccavita Villa and Penthouse
Curaçao

Custom mix | Vitreo
(2 x 2 cm | 3/4" x 3/4")
Project: riccavita.nl
Designer:artop.nl

Riccavita Villa and Penthouse
Curaçao



Custom mix | Vitreo
(2 x 2 cm | 3/4" x 3/4")
Project: riccavita.nl
Designer:artop.nl

Residential Pool
Thailand



Custom mix
Vitreo 110, 111, 112 , Shining 847
(2 x 2 cm | 3/4" x 3/4")
Project: Bel vedere

Residential Pool
Thailand

Custom mix
Vitreo 110, 111, 112 , Shining 847
(2 x 2 cm | 3/4" x 3/4")
Project: Bel vedere

Residential Pools

TREND MIX PROPOSALS:

ACQUA TROPICALE



111 (70%)
711 (20%)
851 (10%)

AZZURRO MEDITERRANEO



120 (30%)
121 (30%)
722 (20%)
841 (20%)

MARE NOSTRUM



123 (70%)
843 (30%)



Custom design
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Project: Bel vedere

Private Pool
Sydney, Australia





Custom mix | Vitreo 160 (15%), 161 (15%),
152 (24%), 216 (23%) TP137 (23%)
(2 x 2 cm | 3/4" x 3/4")
Lulo Tiles Solutions
Installation by Tiled Art

Private Pool
Australia

Square 242 (4 x 4 cm | 1 1/2" x 1 1/2")

Private Pool
Australia



Square 242 (4 x 4 cm | 1 1/2" x 1 1/2")

Private Pool
Sydney, Australia

Vitreo 140
(2 x 2 cm | 3/4" x 3/4")

Private White Pool
Melbourne, Australia

PURITY

160
161



Private White Pool
Melbourne, Australia



Purity mix
(2 x 2 cm | 3/4" x 3/4")

77 Flora Terrace
Perth, Australia

Custom mix | Vitreo 150, Shining 760
Plain color | Brillante 270
(2 x 2 cm | 3/4" x 3/4")
Architect: Blake Willis Landscape Architects



The Romanos, A Luxury Collections Resort
Costa Navarino
Messinia, Greece

Custom mix | Feel 2110, 2114
(2 x 2 cm | 3/4" x 3/4")

The Romanos, A Luxury Collections Resort
Costa Navarino
Messinia, Greece

Custom mix | Feel 2110, 2114
(2 x 2 cm | 3/4" x 3/4")

The Westing Resort
Costa Navarino
Messinia, Greece

Custom mix | Feel 2110, 2114
(2 x 2 cm | 3/4" x 3/4")

Marco Polo Club
Tropea, Italy

SUMMERTIME

120
122
123
135

Summer time mix (2 x 2 cm | 3/4" x 3/4")

Private Residence
Houston, Texas



Custom mix
Brillante 260 (30%), 239 (20%)
(2 x 2 cm | 3/4" x 3/4")
Sunset Pools Inc.

Private Residence
Houston, Texas

Custom mix
Brillante 260 (30%), 239 (20%)
(2 x 2 cm | 3/4" x 3/4")
Sunset Pools Inc.

Private Residence
Sydney, Australia

Custom mix
Vitreo 121, 122, Brillante 241
(2 x 2 cm | 3/4" x 3/4")

Private House
Naples, FL, USA

Custom Mix
Shining 720, Vitreo 120
(2 x 2 cm | 3/4" x 3/4")

Private House
Naples, FL, USA

Custom Mix
Vitreo 120, Shining 720
(2 x 2 cm | 3/4" x 3/4")

Private Pool
Bluestone Pools, Perth, Western Australia



SQUARE 239



SQUARE 242



The highest level of quality and performance

Beach Resort Fujairah
Fujairah, UAE

Simphony mix
(2 x 2 cm | 3/4" x 3/4")

Beach Resort Fujairah
Fujairah, UAE
Simphony mix
(2 x 2 cm | 3/4" x 3/4")



Beach Resort Fujairah
Fujairah, UAE

Simphony mix
(2 x 2 cm | 3/4" x 3/4")



Z FIT/SPA
Abidjan, Costa d'Avorio

Pool: custom mix
Vitreo 160, Brillante 216, Shining 760
(1 x 1 cm | 3/8" x 3/8")

Wall: custom mix
Vitreo 160, Brillante 216, 260, Shining 760
(1 x 1 cm | 3/8" x 3/8")

Z FIT/SPA
Abidjan, Costa d'Avorio



Pool: custom mix
Vitreo 160, Brillante 216, Shining 760
(1 x 1 cm | 3/8" x 3/8")

Wall: custom mix
Vitreo 160, Brillante 216, 260, Shining 760
(1 x 1 cm | 3/8" x 3/8")

Ciel SPA
SLS Dubai Hotel & Residences
Dubai, UAE

SIMPHONY



150
151
160
161

Simphony mix
(2 x 2 cm | 3/4" x 3/4")



Private Penthouse
V Palm Jumeirah, Dubai, UAE



Custom mix
Karma 953 Smooth, 953 Mirage Smooth
(2 x 2 cm | 3/4" x 3/4")

Private Penthouse
V Palm Jumeirah, Dubai, UAE

Custom Karma mix
953 Smooth, 953 Mirage Smooth
(2 x 2 cm | 3/4" x 3/4")

Private Pool
Thailand

Custom Mix | Vitreo, Shining
(2 x 2 cm | 3/4" x 3/4")
Projet: Bel Vedere

Private Pool
Thailand

Custom design
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Project: Bel Vedere

Water Garden
Mosaic decor

VITREO 140



Water garden
CAD mosaic (2 x 2 cm | 3/4" x 3/4")
Module: 504 x 504 cm, 25,40 m²

Private Pool
Hong Kong

DESIGN LAYOUT OF THE PROJECT





Custom Design
Vitreo, Brillante, Shining
(2 x 2 cm | 3/4" x 3/4")



Double Tree by Hilton
Jazan, KSA

DESIGN LAYOUT OF THE PROJECT

Custom design
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Double Tree by Hilton
Jazan, KSA

INSTALLATION OF THE MOSAIC

Custom design
CAD mosaic (2 x 2 cm | 3/4" x 3/4")

Twins Dolphins Pool
Artistic mosaic

TWINS DOLPHINS

Artistic mosaic
(1 x 1 cm | 3/8 x 3/8")
148 cm x 96 cm
0,44 m²

- 150
- 151
- 152
- 153
- 155
- 208



CLOUDY



- 150
- 151
- 152



Royal Wing Suites & Spa
Thailandia

Custom mix and step markers
(2 x 2 cm | 3/4" x 3/4")
Project: Bel vedere





MAG 318 Pool
Dubai, UAE

Custom mix
Vitreo 120, 111, 140, Brillante 247, 249, Aureo 025
(2 x 2 cm | 3/4" x 3/4")

MAG 318 Pool
Dubai, UAE





Custom mix
Vitreo 120, 111, 140, Brillante 247, 249, Aureo 025
(2 x 2 cm | 3/4" x 3/4")

Private Green Pool
Sydney, Australia

RELAXATION

232 (25%)
247 (25%)
249 (25%)
251 (25%)

Relaxation mix
(2 x 2 cm | 3/4" x 3/4")

Hotel Wojciech
Augustów, Poland



Custom Shading Blend
Colors: Vitreo 160, 161, 135, 136, 137, 138
(2 x 2 cm | 3/4" x 3/4")

Club Med Pragelato Vialatea
Plan, Italy



Hydra Mix, Spearmint Mix
(2 x 2 cm | 3/4" x 3/4")

Club Med Pragelato Vialatea
Plan, Italy

Hydra Mix, Spearmint Mix
(2 x 2 cm | 3/4" x 3/4")

Private Residence
Bratislava, Slovakia.

Custom mix
(2 x 2 cm | 3/4" x 3/4")

Les Lodges Sainte Victoire Hotel & Spa
Aix-en-Provence, France

Brillante 270
(2 x 2 cm | 3/4" x 3/4")

Les Lodges Sainte Victoire Hotel & Spa
Aix-en-Provence, France

Brillante 270
(2 x 2 cm | 3/4" x 3/4")

Private House
Italy

Pool: Vitreo 132
Border: Aureo 001/W
(2 x 2 cm | 3/4" x 3/4")

Private House
Italy



Pool: Vitreo 132
Border: Aureo 001/W
(2 x 2 cm | 3/4" x 3/4")

Mosaic Borders

FLAMENCO 1 | ARTISTIC MOSAIC | 1 x 1 cm

120
121
123
130
131
132
135
137
138
160
232
234
240
242
243
244
240
247
251

FADO 1 | ARTISTIC MOSAIC | 1 x 1 cm



120
121
122
123
131
130
132
135
136
160

POLKA 1 | CAD MOSAIC | 2 x 2 cm



123
130
160

POLKA 2 | CAD MOSAIC | 2 x 2 cm





123
130
160

TANGO 1 | CAD MOSAIC | 2 x 2 cm



123
152
160

TANGO 2 | CAD MOSAIC | 2 x 2 cm





123
152
160

Border: Fado 1
(1 x 2 cm | 3/8" x 3/8")
Pool: Summer time mix
(2 x 2 cm | 3/4" x 3/4")

Border: Tango 1
Pool: Vitreo 123
(2 x 2 cm | 3/4" x 3/4")



Dragon Fountain
Piazza Brescia,
Jesolo Lido, Italy

Custom Design
(2 x 2 cm | 3/4" x 3/4")

Dragon Fountain
Piazza Brescia,
Jesolo Lido, Italy



Custom Design
(2 x 2 cm | 3/4" x 3/4")







Summertime mix
(2 x 2 cm | 3/4" x 3/4")

Villaggio Turistico Internazionale
Bibione, Italy

TULUM



122
123

SUMMERTIME



120
122
123
135

Villaggio Turistico Internazionale
Bibione, Italy



Tulum mix
(2 x 2 cm | 3/4" x 3/4")

Ca' Pasquali Village
Cavallino, Italy



Tulum mix
(2 x 2 cm | 3/4" x 3/4")



Private House
Sydney, Australia





Eucalyptus shading blend
(2 x 2 cm | 3/4" x 3/4")

Private House
Sydney, Australia

Eucalyptus shading blend
(2 x 2 cm | 3/4" x 3/4")



Private House
Sydney, Australia

EUCALYPTUS



Eucalyptus shading blend
(2 x 2 cm | 3/4" x 3/4")

Hotel Carlton Baglioni
Milan, Italy

Eucalyptus shading blend
(2 x 2 cm | 3/4" x 3/4")



Therme Meran
Merano, Italy

Vitreo 160, 120, 122, 124, 131
(2 x 2 cm | 3/4" x 3/4")
Architect: Matteo Thun
Photo: Dal Bosco

Therme Meran
Merano, Italy



Vitreo 160, 120, 122, 124, 131
(2 x 2 cm | 3/4" x 3/4")
Architect: Matteo Thun
Photo: Dal Bosco

Vitreo 160
(2 x 2 cm | 3/4" x 3/4")

Therme Meran
Merano, Italy

Vitreo 160, 120, 122, 124, 131
(2 x 2 cm | 3/4" x 3/4")
Architect: Matteo Thun
Photo: Dal Bosco



Therme Meran
Merano, Italy





Vitreo 204 (2 x 2 cm | 3/4" x 3/4")
Architect: Matteo Thun
Photo: Dal Bosco

Therme Meran
Merano, Italy

Vitreo 111
(2 x 2 cm | 3/4" x 3/4")
Architect: Matteo Thun
Photo: Dal Bosco

Vitreo 206, 203
(2 x 2 cm | 3/4" x 3/4")

Offenburger Freizeitbad Stegermatt
Offenburg, Germany

Custom mix | Vitreo
(2 x 2 cm | 3/4" x 3/4")
Architect: 4a_Architekten_Stuttgart
Photo: Uwe Ditz

Offenburger Freizeitbad Stegermatt
Offenburg, Germany

Custom mix | Vitreo
(2 x 2 cm | 3/4" x 3/4")
Architect: 4a_Architekten_Stuttgart
Photo: Uwe Ditz



Emser Therme
Bad Ems, Germany

Custom Mix | Vitreo
(2 x 2 cm | 3/4" x 3/4")
Architect: 4a architekten
Photo: David Matthiessen



Emser Therme
Bad Ems, Germany

Custom Mix | Vitreo
(2 x 2 cm | 3/4" x 3/4")
Architect: 4a architekten
Photo: David Matthiessen

Four Seasons Hotel
Cyprus

Custom mix
(2 x 2 cm | 3/4" x 3/4")



Tauern SPA
Kaprun, Austria

Custom mix | Vitreo, Brillante
(2 x 2 cm | 3/4" x 3/4")

Tauern SPA
Kaprun, Austria

Custom mix | Vitreo, Brillante
(2 x 2 cm | 3/4" x 3/4")



Nicò Center
Pontedera, Italy



Custom mix | Vitreo
(2 x 2 cm | 3/4" x 3/4")

Nicò Center
Pontedera, Italy

Thermarium: Nautical mix
(2 x 2 cm | 3/4" x 3/4")

Technical Information

SUGGESTED ADHESIVES

IMPORTANT NOTICE: The substrates must be perfectly flat, smooth, ripe, firm, smooth and white

WALLS AND FLOORING - INTERNAL AND EXTERNAL

SUBSTRATES	MANUFACTURER	ADHESIVE	CLASS	USE
Cement screeds, concrete, screeds, heaters, old ceramics, gypsum-based plaster*, cement-based plaster, plasterboard*, fibre cement panels, lightened concrete panels, cement finished foam core panels	LITOKOL LATICRETE MAPEI	LITOPLUS K55 254 PLATINUM ADESILEX P10 + ISOLASTIC	C2TES1 C2TES1 C2TES1	2,5 kg/mq
Wood	LITOKOL LATICRETE MAPEI	LITOELASTIC LATALASTIK KERALASTIC T	R2T R2T R2T	2,0 kg/mq
Metal	LITOKOL LATICRETE LATICRETE MAPEI	LITOELASTIC LATALASTIK LATAPOXY 300 KERALASTIC T	R2T R2T R2T R2T	2,0 kg/mq

* After the application of primer

POOL AND SPA

Cement plasters and levelling, concrete, cement screeds, cement waterproofing, cement finished foam core panels	LITOKOL LATICRETE MAPEI	LITOPLUS K55 254 PLATINUM ADESILEX P10 + ISOLASTIC	C2TES1 C2TES1 C2TES1	2,5 kg/mq
Metal (Always consult the technical department)	LITOKOL LATICRETE LATICRETE MAPEI	LITOELASTIC LATALASTIK LATAPOXY 300 KERALASTIC T	R2T R2T R2T R2T	2,0 kg/mq

SUGGESTED GROUTING & DETERGENTS

IMPORTANT NOTICE: the joints must be of a thickness of at least 3 mm and a width of at least 1 mm Usage temperature between +12° and +30°c

WALLS AND FLOORING - INTERNAL AND EXTERNAL

MANUFACTURER/ADHESIVE	TILE FORMAT	USE	DETERGENT	USE
LITOKOL	STARLIKE KERAKOLL	FUGALITE (Only for internal use) MAPEI	KERAPOXY DESIGN	2 x 2 cm	1,20 kg/mq	LITONET/LITONET GEL FUGASOAP EPOXY CLEANER	10-15 mq/Lt

POOL AND SPA

LITOKOL	STARLIKE KERAKOLL	FUGALITE (Only for internal use) MAPEI	KERAPOXY DESIGN	2 x 2 cm	1,20 kg/mq	LITONET/LITONET GEL FUGASOAP EPOXY CLEANER	10-15 mq/Lt

VITREO | BRILLANTE | SHINING | FEEL
WEIGHT AND DIMENSIONS | 2 x 2 cm | 3/4" x 3/4"
TABELLA MISURE E PESI | TABLEAU DES POIDS ET DIMENSIONS | GRÖßE UND GEWICHTE | TABLA DE MEDIDAS Y PESOS | РАЗМЕРЫ И ВЕС

SIZE FORMATO FORMAT FORMAT TAMAÑO РАЗМЕР	2 x 2 cm | 3/4" x 3/4"
THICKNESS SPESSORE EPAISSEUR STÄRKE ESPESOR ТОЛЩИНА	~ 4 mm | 5/32"
SHEETS SIZE DIMENSIONE FOGLI DIMENSION PLAQUES ABMESSUNG DER BLÄTTER MEDIDAS HOJAS РАЗМЕР ЛИСТА	31,6 x 31,6 cm 12 7/16" x 12 7/16"
JOINT GIUNTO JOINT ABMESSUNG DER FUGE JUNTA ШОВ	~ 1 mm | 1/16"
WEIGHT PESO POIDS GEWICHT PESO ВЕС	~7 kg/m² | 1.6 lbs/SQF
QUANTITY PER BOX QUANTITÀ PER SCATOLA QUANTITE PAR CARTON QUANTITÄT PRO KARTON CANTIDAD POR CAJA КОЛИЧЕСТВО В ОДНОЙ КОРОБКЕ	2 m² | 21.528 SQF
BOXES PER PALLET SCATOLE/PALETTA CARTONS/PALETTE KARTONS PRO PALETTE CAJAS/PALLET КОЛИЧЕСТВО КОРОБОК В ПОДДОНЕ	72
PALLET WEIGHT PESO PALETTA POIDS PALETTE PALETTENGEWICHT PESO PALLET ВЕС ПОДДОНА	~ 1030 Kg | ~ 2266 lb

TEST ASTM

TEST PERFORMED AND REQUIREMENTS	CONCLUSIONS
Range of thickness (ASTM C499)	passes
Facial dimensions (ASTM C499)	passes
Wedging (ASTM C502)	passes
Water absorption (ASTM C373)	passes
Thermal shocks (ASTM C484)	passes
Bond Strenght (ASTM C482)	passes
Crazing (ASTM C424)	passes

TEST DATA
CARATTERISTICHE TECNICHE | CARACTÉRISTIQUES TECHNIQUES | TECHNISCHE EIGENSCHAFTEN | CARACTERÍSTICAS TÉCNICAS | ТЕХНИЧЕСКИЙ РАЗДЕЛ

UNI EN ISO 10545 (13)

RESISTANCE TO CHEMICAL AGENTS RESISTENZA AGLI AGENTI CHIMICI RESISTANCE AUX PRODUITS CHIMIQUES SÄURE- UND LAUGENBESTÄNDIGKEIT RESISTENCIA A LOS AGENTES QUÍMICOS УСТОЙЧИВОСТЬ К ВОЗДЕЙСТВИЮ КИСЛОТ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (9)

RESISTANCE TO THERMAL SHOCKS RESISTENZA AGLI SBALZI TERMICI RESISTANCE AUX CHOCS THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT RESISTENCIA A LOS CAMBIOS DE TEMPERATURA УСТОЙЧИВОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (3)

WATER ABSORPTION ASSORBIMENTO ACQUA ABSORPTION D'EAU WASSERAUFNAHME ABSORCION DE AGUA ВОДОПОГЛОЩЕНИЕ	none nullo nulle null nula ноль

DIN 51094

COLOURS RESISTANCE TO FADING RESISTENZA DEI COLORI ALLA LUCE RESISTANCE DES COULEURS A LA LUMIERE FARBBESTÄNDIGKEIT RESISTENCIA DE LOS COLORES A LA LUZ УСТОЙЧИВОСТЬ К СВЕТУ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (12)

FROST RESISTANCE RESISTENZA AL GELO RESISTANCE AU GEL FROSTBESTÄNDIGKEIT RESISTENCIA AL HIELO МОРОЗОУСТОЙЧИВОСТЬ	resistant resistente résistant beständig resistente устойчива

DIN 51097

SLIP RESISTANCE ON BARE FEET RESISTENZA ALLA SCIVOLOSITÀ A PIEDI NUDI RESISTANCE AU GLISSEMENT A PIEDS NUS RUTSCHFESTIGKEIT BARFUSS RESISTENCIA ANTIDESLIZANTE CON PIES DESNUDOS УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, БОСИКОМ	class classe classe Klasse clase класс	C C C C C C

DIN 51130

SLIP RESISTANCE WITH SHOES RESISTENZA ALLA SCIVOLOSITÀ A PIEDI CALZATI RESISTANCE AU GLISSEMENT A PIEDS CHAUSSES RUTSCHFESTIGKEIT MIT SCHUHEN RESISTENCIA ANTIDESLIZANTE CON PIES CALZADOS УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, В ОБУВИ	R9

VITREO GRIP
SPECIAL PROCESSING
LAVORAZIONI SPECIALI | FAÇONNAGES SPÉCIAUX | SPEZIALBEARBEITUNGEN | TRABAJOS ESPECIALES | СПЕЦИАЛЬНАЯ ОБРАБОТКА

VITREO GRIP

COLOURS | COLORI | COULEURS | FARBEN | COLORES | ЦВЕТЫ:
101 | 104 | 105 | 107 | 109 | 110 | 111 | 113 | 115 | 116 | 117 | 119 | 120 | 121 | 122 | 123 | 130 | 131 | 132 | 135 | 136 | 137 | 138 | 140 | 142 | 150 | 152 | 153 | 154 | 155 | 160 | 161 | 163 | 165 | 166 | 167 | 169 | 170 | 171 | 172 | 173 | 180 | 181 | 182 | 183

DIN 51097

SLIP RESISTANCE ON BARE FEET RESISTENZA ALLA SCIVOLOSITÀ A PIEDI NUDI RESISTANCE AU GLISSEMENT A PIEDS NUS RUTSCHFESTIGKEIT BARFUSS RESISTENCIA ANTIDESLIZANTE CON PIES DESNUDOS УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, БОСИКОМ	class classe classe Klasse clase класс	C C C C C C

DIN 51130

SLIP RESISTANCE WITH SHOES RESISTENZA ALLA SCIVOLOSITÀ A PIEDI CALZATI RESISTANCE AU GLISSEMENT A PIEDS CHAUSSES RUTSCHFESTIGKEIT MIT SCHUHEN RESISTENCIA ANTIDESLIZANTE CON PIES CALZADOS УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, В ОБУВИ	R11

VITREO | BRILLANTE | SHINING | FEEL
WEIGHT AND DIMENSIONS | 1 x 1 cm | 3/8" x 3/8"
TABELLA MISURE E PESI | TABLEAU DES POIDS ET DIMENSIONS | GRÖßE UND GEWICHTE | TABLA DE MEDIDAS Y PESOS | РАЗМЕРЫ И ВЕС

SIZE FORMATO FORMAT FORMAT TAMAÑO РАЗМЕР	1 x 1 cm | 3/8" x 3/8"
THICKNESS SPESSORE EPAISSEUR STÄRKE ESPESOR ТОЛЩИНА	~ 4 mm | 5/32"
SHEETS SIZE DIMENSIONE FOGLI DIMENSION PLAQUES ABMESSUNG DER BLÄTTER MEDIDAS HOJAS РАЗМЕР ЛИСТА	31,6 x 31,6 cm 12 7/16" x 12 7/16"
JOINT GIUNTO JOINT ABMESSUNG DER FUGE JUNTA ШОВ	~ 1 mm | 1/16"
WEIGHT PESO POIDS GEWICHT PESO ВЕС	~7 kg/m² | 1.6 lbs/SQF
QUANTITY PER BOX QUANTITÀ PER SCATOLA QUANTITE PAR CARTON QUANTITÄT PRO KARTON CANTIDAD POR CAJA КОЛИЧЕСТВО В ОДНОЙ КОРОБКЕ	2 m² | 21.528 SQF
BOXES PER PALLET SCATOLE/PALETTA CARTONS/PALETTE KARTONS PRO PALETTE CAJAS/PALLET КОЛИЧЕСТВО КОРОБОК В ПОДДОНЕ	72
PALLET WEIGHT PESO PALETTA POIDS PALETTE PALETTENGEWICHT PESO PALLET ВЕС ПОДДОНА	~ 1030 Kg | ~ 2266 lb

TEST ASTM

TEST PERFORMED AND REQUIREMENTS	CONCLUSIONS
Range of thickness (ASTM C499)	passes
Facial dimensions (ASTM C499)	passes
Wedging (ASTM C502)	passes
Water absorption (ASTM C373)	passes
Thermal shocks (ASTM C484)	passes
Bond Strenght (ASTM C482)	passes
Crazing (ASTM C424)	passes

TEST DATA
CARATTERISTICHE TECNICHE | CARACTÉRISTIQUES TECHNIQUES | TECHNISCHE EIGENSCHAFTEN | CARACTERÍSTICAS TÉCNICAS | ТЕХНИЧЕСКИЙ РАЗДЕЛ

UNI EN ISO 10545 (13)

RESISTANCE TO CHEMICAL AGENTS RESISTENZA AGLI AGENTI CHIMICI RESISTANCE AUX PRODUITS CHIMIQUES SÄURE- UND LAUGENBESTÄNDIGKEIT RESISTENCIA A LOS AGENTES QUÍMICOS УСТОЙЧИВОСТЬ К ВОЗДЕЙСТВИЮ КИСЛОТ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (9)

RESISTANCE TO THERMAL SHOCKS RESISTENZA AGLI SBALZI TERMICI RESISTANCE AUX CHOCS THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT RESISTENCIA A LOS CAMBIOS DE TEMPERATURA УСТОЙЧИВОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (3)

WATER ABSORPTION ASSORBIMENTO ACQUA ABSORPTION D'EAU WASSERAUFNAHME ABSORCION DE AGUA ВОДОПОГЛОЩЕНИЕ	none nullo nulle null nula ноль

DIN 51094

COLOURS RESISTANCE TO FADING RESISTENZA DEI COLORI ALLA LUCE RESISTANCE DES COULEURS A LA LUMIERE FARBBESTÄNDIGKEIT RESISTENCIA DE LOS COLORES A LA LUZ УСТОЙЧИВОСТЬ К СВЕТУ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (12)

FROST RESISTANCE RESISTENZA AL GELO RESISTANCE AU GEL FROSTBESTÄNDIGKEIT RESISTENCIA AL HIELO МОРОЗОУСТОЙЧИВОСТЬ	resistant resistente résistant beständig resistente устойчива

DIN 51097

SLIP RESISTANCE ON BARE FEET RESISTENZA ALLA SCIVOLOSITÀ A PIEDI NUDI RESISTANCE AU GLISSEMENT A PIEDS NUS RUTSCHFESTIGKEIT BARFUSS RESISTENCIA ANTIDESLIZANTE CON PIES DESNUDOS УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, БОСИКОМ	class classe classe Klasse clase класс	C C C C C C

DIN 51130

SLIP RESISTANCE WITH SHOES RESISTENZA ALLA SCIVOLOSITÀ A PIEDI CALZATI RESISTANCE AU GLISSEMENT A PIEDS CHAUSSES RUTSCHFESTIGKEIT MIT SCHUHEN RESISTENCIA ANTIDESLIZANTE CON PIES CALZADOS УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, В ОБУВИ	R9

MODERN AUREO | CONTEMPORARY AUREO
WEIGHT AND DIMENSIONS
TABELLA MISURE E PESI | TABLEAU DES POIDS ET DIMENSIONS | GRÖßE UND GEWICHTE | TABLA DE MEDIDAS Y PESOS | РАЗМЕРЫ И ВЕС

SIZE FORMATO FORMAT FORMAT TAMAÑO РАЗМЕР	2 x 2 cm | 3/4" x 3/4" 1 x 1 cm | 3/8" x 3/8"
THICKNESS SPESSORE EPAISSEUR STÄRKE ESPESOR ТОЛЩИНА	~ 4 mm | 5/32"
SHEETS SIZE DIMENSIONE FOGLI DIMENSION PLAQUES ABMESSUNG DER BLÄTTER MEDIDAS HOJAS РАЗМЕР ЛИСТА	31,6 x 31,6 cm 12 7/16" x 12 7/16"
JOINT GIUNTO JOINT ABMESSUNG DER FUGE JUNTA ШОВ	~ 1 mm | 1/16"
WEIGHT PESO POIDS GEWICHT PESO ВЕС	~ 8 kg/m² | 1.64 lbs/SQF
QUANTITY PER BOX QUANTITÀ PER SCATOLA QUANTITE PAR CARTON QUANTITÄT PRO KARTON CANTIDAD POR CAJA КОЛИЧЕСТВО В ОДНОЙ КОРОБКЕ	2 m² | 21.528 SQF

FOR THE APPLICATION IN HUMID ZONES, TREND SUGGESTS USING MODERN AUREO PLATINUM WHITE (028 | 029)
NEL CASO DI INSTALLAZIONE IN AMBIENTI UMIDI TREND CONSIGLIA L'UTILIZZO DI MODERN AUREO PLATINUM WHITE (028 | 029)
EN CAS D'INSTALLATION DANS DES LIEUX HUMIDES, TREND SUGGÈRE L'UTILISATION DU MODERN AUREO PLATINUM WHITE (028 | 029)
FÜR DIE ANWENDUNG IN FEUCHTBEREICHEN, EMPFEHLT TREND DAS MODERN AUREO PLATINUM WHITE (028 | 029)
EN EL CASO DE INSTALACIONES EN AMBIENTES HÚMEDOS, TREND ACONSEJA QUE SE UTILICE LA COLECCIÓN MODERN AUREO PLATINUM WHITE (028 | 029)
В СЛУЧАЕ УСТАНОВКИ В МЕСТАХ, СОДЕРЖАЩИХ ВЛАГУ, TREND РЕКОМЕНДУЕТ ИСПОЛЬЗОВАТЬ ЗОЛОТУЮ МОЗАЙКУ MODERN AUREO PLATINUM WHITE (028 | 029)

TEST ASTM

TEST PERFORMED AND REQUIREMENTS	CONCLUSIONS
Range of thickness (ASTM C499)	passes
Facial dimensions (ASTM C499)	passes
Wedging (ASTM C502)	passes
Water absorption (ASTM C373)	passes
Thermal shocks (ASTM C484)	passes
Bond Strenght (ASTM C482)	passes
Crazing (ASTM C424)	passes

TEST DATA
CARATTERISTICHE TECNICHE | CARACTÉRISTIQUES TECHNIQUES | TECHNISCHE EIGENSCHAFTEN | CARACTERÍSTICAS TÉCNICAS | ТЕХНИЧЕСКИЙ РАЗДЕЛ

UNI EN ISO 10545 (13)

RESISTANCE TO CHEMICAL AGENTS RESISTENZA AGLI AGENTI CHIMICI RESISTANCE AUX PRODUITS CHIMIQUES SÄURE- UND LAUGENBESTÄNDIGKEIT RESISTENCIA A LOS AGENTES QUÍMICOS УСТОЙЧИВОСТЬ К ВОЗДЕЙСТВИЮ КИСЛОТ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (9)

RESISTANCE TO THERMAL SHOCKS RESISTENZA AGLI SBALZI TERMICI RESISTANCE AUX CHOCS THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT RESISTENCIA A LOS CAMBIOS DE TEMPERATURA УСТОЙЧИВОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (3)

WATER ABSORPTION ASSORBIMENTO ACQUA ABSORPTION D'EAU WASSERAUFNAHME ABSORCION DE AGUA ВОДОПОГЛОЩЕНИЕ	none nullo nulle null nula ноль

DIN 51094

COLOURS RESISTANCE TO FADING RESISTENZA DEI COLORI ALLA LUCE RESISTANCE DES COULEURS A LA LUMIERE FARBBESTÄNDIGKEIT RESISTENCIA DE LOS COLORES A LA LUZ УСТОЙЧИВОСТЬ К СВЕТУ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (12)

FROST RESISTANCE RESISTENZA AL GELO RESISTANCE AU GEL FROSTBESTÄNDIGKEIT RESISTENCIA AL HIELO МОРОЗОУСТОЙЧИВОСТЬ	resistant resistente résistant beständig resistente устойчива

DIN 51097

SLIP RESISTANCE ON BARE FEET RESISTENZA ALLA SCIVOLOSITÀ A PIEDI NUDI RESISTANCE AU GLISSEMENT A PIEDS NUS RUTSCHFESTIGKEIT BARFUSS RESISTENCIA ANTIDESLIZANTE CON PIES DESNUDOS УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, БОСИКОМ	class classe classe Klasse clase класс	C C C C C C

DIN 51130

SLIP RESISTANCE WITH SHOES RESISTENZA ALLA SCIVOLOSITÀ A PIEDI CALZATI RESISTANCE AU GLISSEMENT A PIEDS CHAUSSES RUTSCHFESTIGKEIT MIT SCHUHEN RESISTENCIA ANTIDESLIZANTE CON PIES CALZADOS УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, В ОБУВИ	R9

SQUARE 4 x 4
WEIGHT AND DIMENSIONS
TABELLA MISURE E PESI | TABLEAU DES POIDS ET DIMENSIONS | GRÖßE UND GEWICHTE | TABLA DE MEDIDAS Y PESOS | РАЗМЕРЫ И ВЕС

SIZE FORMATO FORMAT FORMAT TAMAÑO РАЗМЕР	4 x 4 cm 1 1/2" x 1 1/2"
THICKNESS SPESSORE EPAISSEUR STÄRKE ESPESOR ТОЛЩИНА	~ 4 mm | 5/32"
SHEETS SIZE DIMENSIONE FOGLI DIMENSION PLAQUES ABMESSUNG DER BLÄTTER MEDIDAS HOJAS РАЗМЕР ЛИСТА	~ 29,3 x 29,3 cm ~ 11 1/2" x 11 1/2"
JOINT GIUNTO JOINT ABMESSUNG DER FUGE JUNTA ШОВ	~ 2 mm | 3/32"
WEIGHT PESO POIDS GEWICHT PESO ВЕС	~ 6 kg/m² ~ 1.22 lbs/sqf
QUANTITY PER CARTON QUANTITÀ PER SCATOLA QUANTITE PAR CARTON QUANTITÄT PRO KARTON CANTIDAD POR CAJA КОЛИЧЕСТВО В ОДНОЙ КОРОБКЕ	1,716 m² 18.47 SQF
CARTONS PER PALLET SCATOLE/PALETTA CARTONS/PALETTE KARTONS PRO PALETTE CAJAS/PALLET КОЛИЧЕСТВО КОРОБОК В ПОДДОНЕ	72
PALLET WEIGHT PESO PALETTA POIDS PALETTE PALETTENGEWICHT PESO PALLET ВЕС ПОДДОНА	~ 867 kg ~ 1911.40 lb

TEST ASTM

TEST PERFORMED AND REQUIREMENTS	CONCLUSIONS
Range of thickness (ASTM C499)	passes
Facial dimensions (ASTM C499)	passes
Wedging (ASTM C502)	passes
Water absorption (ASTM C373)	passes
Thermal shocks (ASTM C484)	passes
Bond Strenght (ASTM C482)	passes
Crazing (ASTM C424)	passes

TEST DATA
CARATTERISTICHE TECNICHE | CARACTÉRISTIQUES TECHNIQUES | TECHNISCHE EIGENSCHAFTEN | CARACTERÍSTICAS TÉCNICAS | ТЕХНИЧЕСКИЙ РАЗДЕЛ

UNI EN ISO 10545 (13)

RESISTANCE TO CHEMICAL AGENTS RESISTENZA AGLI AGENTI CHIMICI RESISTANCE AUX PRODUITS CHIMIQUES SÄURE- UND LAUGENBESTÄNDIGKEIT RESISTENCIA A LOS AGENTES QUÍMICOS УСТОЙЧИВОСТЬ К ВОЗДЕЙСТВИЮ КИСЛОТ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (9)

RESISTANCE TO THERMAL SHOCKS RESISTENZA AGLI SBALZI TERMICI RESISTANCE AUX CHOCS THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT RESISTENCIA A LOS CAMBIOS DE TEMPERATURA УСТОЙЧИВОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (3)

WATER ABSORPTION ASSORBIMENTO ACQUA ABSORPTION D'EAU WASSERAUFNAHME ABSORCION DE AGUA ВОДОПОГЛОЩЕНИЕ	none nullo nulle null nula ноль

DIN 51094

Colors RESISTANCE TO FADING RESISTENZA DEI COLORI ALLA LUCE RESISTANCE DES COULEURS A LA LUMIERE FARBBESTÄNDIGKEIT RESISTENCIA DE LOS COLORES A LA LUZ УСТОЙЧИВОСТЬ К СВЕТУ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (12)

FROST RESISTANCE RESISTENZA AL GELO RESISTANCE AU GEL FROSTBESTÄNDIGKEIT RESISTENCIA AL HIELO МОРОЗОУСТОЙЧИВОСТЬ	resistant resistente résistant beständig resistente устойчива

DIN 51097

SLIP RESISTANCE ON BARE FEET	class	B
RESISTENZA ALLA SCIVOLOSITÀ A PIEDI NUDI	classe	B
RESISTANCE AU GLISSEMENT A PIEDS NUS	classe	B
RUTSCHFESTIGKEIT BARFUSS	Klasse	B
RESISTENCIA ANTIDESLIZANTE CON PIES DESNUDOS	clase	B
УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, БОСИКОМ	класс	B

RECTANGULAR 2 x 4 cm
WEIGHT AND DIMENSIONS
TABELLA MISURE E PESI | TABLEAU DES POIDS ET DIMENSIONS | GRÖßE UND GEWICHTE | TABLA DE MEDIDAS Y PESOS | РАЗМЕРЫ И ВЕС

SIZE FORMATO FORMAT FORMAT TAMAÑO РАЗМЕР	2 x 4 cm | 3/4" x 1 1/2" Giunto sfalsato | Staggered joint | Joint décalé | Versetzt geklebt | Junta partida | **Шов смещенный**
THICKNESS SPESSORE EPAISSEUR STÄRKE ESPESOR ТОЛЩИНА	~ 4 mm | 5/32"
SHEETS SIZE DIMENSIONE FOGLI DIMENSION PLAQUES ABMESSUNG DER BLÄTTER MEDIDAS HOJAS РАЗМЕР ЛИСТА	~ 31,3 x 29,2 cm ~ 12 5/16" x 11 1/2"
MODULAR SIZE FORMATO MODULO FORMAT MODULE MODULGRÖSSE FORMATO MÓDULO ФОРМАТ М ОДУЛЯ	~ 29,3 x 29,5 cm ~ 11 1/2" x 11 5/8"
JOINT GIUNTO JOINT ABMESSUNG DER FUGE JUNTA ШОВ	~ 1 mm | 1/16"
WEIGHT PESO POIDS GEWICHT PESO ВЕС	~7,6 kg/m² | 1.55 lbs/sqf
QUANTITY PER CARTON QUANTITÀ PER SCATOLA QUANTITE PAR CARTON QUANTITÄT PRO KARTON CANTIDAD POR CAJA КОЛИЧЕСТВО В ОДНОЙ КОРОБКЕ	1,72 m² | 18.51 sqf
CARTONS PER PALLET SCATOLE/PALETTA CARTONS/PALETTE KARTONS PRO PALETTE CAJAS/PALLET КОЛИЧЕСТВО КОРОБОК В ПОДДОНЕ	72
PALLET WEIGHT PESO PALETTA POIDS PALETTE PALETTENGEWICHT PESO PALLET ВЕС ПОДДОНА	~ 1.000 Kg | ~ 2204.62

TEST ASTM

TEST PERFORMED AND REQUIREMENTS	CONCLUSIONS
Range of thickness (ASTM C499)	passes
Facial dimensions (ASTM C499)	passes
Wedging (ASTM C502)	passes
Water absorption (ASTM C373)	passes
Thermal shocks (ASTM C484)	passes
Bond Strenght (ASTM C482)	passes
Crazing (ASTM C424)	passes

TEST DATA
CARATTERISTICHE TECNICHE | CARACTÉRISTIQUES TECHNIQUES | TECHNISCHE EIGENSCHAFTEN | CARACTERÍSTICAS TÉCNICAS | ТЕХНИЧЕСКИЙ РАЗДЕЛ

UNI EN ISO 10545 (13)

RESISTANCE TO CHEMICAL AGENTS RESISTENZA AGLI AGENTI CHIMICI RESISTANCE AUX PRODUITS CHIMIQUES SÄURE- UND LAUGENBESTÄNDIGKEIT RESISTENCIA A LOS AGENTES QUÍMICOS УСТОЙЧИВОСТЬ К ВОЗДЕЙСТВИЮ КИСЛОТ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (9)

RESISTANCE TO THERMAL SHOCKS RESISTENZA AGLI SBALZI TERMICI RESISTANCE AUX CHOCS THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT RESISTENCIA A LOS CAMBIOS DE TEMPERATURA УСТОЙЧИВОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (3)

WATER ABSORPTION ASSORBIMENTO ACQUA ABSORPTION D'EAU WASSERAUFNAHME ABSORCION DE AGUA ВОДОПОГЛОЩЕНИЕ	none nullo nulle null nula ноль

DIN 51094

COLORS RESISTANCE TO FADING RESISTENZA DEI COLORI ALLA LUCE RESISTANCE DES COULEURS A LA LUMIERE FARBBESTÄNDIGKEIT RESISTENCIA DE LOS COLORES A LA LUZ УСТОЙЧИВОСТЬ К СВЕТУ	resistant resistente résistant beständig resistente устойчива

UNI EN ISO 10545 (12)

FROST RESISTANCE RESISTENZA AL GELO RESISTANCE AU GEL FROSTBESTÄNDIGKEIT RESISTENCIA AL HIELO МОРОЗОУСТОЙЧИВОСТЬ	resistant resistente résistant beständig resistente устойчива

DIN 51097

SLIP RESISTANCE ON BARE FEET	class	B
RESISTENZA ALLA SCIVOLOSITÀ A PIEDI NUDI	classe	B
RESISTANCE AU GLISSEMENT A PIEDS NUS	classe	B
RUTSCHFESTIGKEIT BARFUSS	Klasse	B
RESISTENCIA ANTIDESLIZANTE CON PIES DESNUDOS	clase	B
УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, БОСИКОМ	класс	B

TREND PLUS



TREND PLUS pre-mounted support 316 x 316 mm sheets (10 sheets/sqm) are the ultimate solution for fast and easy installation.

TREND PLUS pre-mounted support represents **the best solution for the installation of the mosaic in any environment,** including where there's direct contact with water as in steam baths and swimming pools.

TREND PLUS pre-mounted support meets CSIRO ISO 13007-1:2004, the minimum requirements for tensile strength after water immersion. The system deemed to meet the minimum requirements for tensile strength for wet adhesion. TREND PLUS pre-mounted support is an innovative technology with polyurethane reactive (PUR) pre-mounted rear support, solvent free for glass mosaic sheets.

TREND PLUS pre-mounted support: it provides sufficient adhesion surface; TREND ensures that the filling of the grout void is 100% unobstructed. The PLUS pre-mounted support is 100% Polyurethane, it is not visible and does not expand or contract in immersion situations.

TREND PLUS pre-mounted support guarantees maximum flexibility of the sheets while ensuring stable and secure support during installation without detaching of the tiles. It can be used with usual adhesives used in these cases (suitable for glass and the substrate/support on which it is placed) and is the best solution for the installation of the mosaic in any environment: outdoor, indoor, swimming pools, Turkish baths, etc.



Italian Design | Modern
Angular & Geometric | Flawless Edges
Long Straight Lines | Clear-Cut
Square | Elegant



Use a 4 x 4 mm notched trowel for installation.
All ranges of TREND mosaics are also available in paper support.

SPECIFICATIONS

VITREO
Fused semi-transparent coloured glass mosaic, formed with 1 x 1 cm and 2 x 2 cm square tiles, with a thickness of about 4 mm, bevelled, assembled TREND plus support, with a size of 31.6 x31.6 cm with an approximately 1 mm joint. Composite with up to a maximum of 45% quality materials, pre-consumer recycled glass, and up to a maximum of 55% of post-consumer recycled glass.

BRILLANTE
Fused semi-transparent coloured glass mosaic, veined with enamels and aventurine glaze, formed with 1 x 1 cm and 2 x 2 cm square tiles, with a thickness of about 4 mm, bevelled, assembled TREND plus support, with a size of 31.6 x31.6 cm with an approximately 1 mm joint. Composite with 41% quality materials, pre-consumer recycled glass and 59% post-consumer recycled glass.

SHINING
Fused semi-transparent coloured glass mosaic with an iridescent effect obtained with a heat treatment of semi-precious metal solutions. Formed with 1 x 1 cm and 2 x 2 cm square tiles, with a thickness of about 4 mm, bevelled, assembled TREND plus support, with a size of 31.6 x31.6 cm with an approximately 1 mm joint. Composite with 41% quality materials, pre-consumer recycled glass and 59% post-consumer recycled glass.

FEEL
Fused semi-transparent coloured glass mosaic, formed with 1 x 1 cm and 2 x 2 cm square tiles, with a thickness of about 4 mm, bevelled, assembled TREND plus support, with a size of 31.6 x31.6 cm with an approximately 1 mm joint. Composite with 20% quality materials, pre-consumer recycled glass and 80% post-consumer recycled glass.

HEXAGONAL
Fused semi-transparent coloured glass mosaic, veined with enamels and aventurine glaze, formed with hexagonal tiles with a 1.8 cm side, with a thickness of about 5 mm, bevelled, assembled TREND plus support, in 32.6 x 35.0 sheet and with an approximately 2 mm joint. Composite with 41% quality materials, pre-consumer recycled glass and 59% post-consumer recycled glass.

SQUARE
Fused semi-transparent colored glass mosaic, veined with enamels and aventurine glaze, formed with squared tiles with a 4 cm side, with a thickness of about 4 mm, beveled, assembled TREND plus support, in 29,3 x 29,3 cm sheet and with an approximately 2 mm joint. Composite with 41% quality materials, pre-consumer recycled glass and 59% post-consumer recycled glass.

RECTANGULAR
Fused semi-transparent colored glass mosaic, veined with enamels and aventurine glaze, formed with rectangular tiles with a 2 x 4 cm side, with a thickness of about 4 mm, beveled, assembled TREND plus support, in 31.3 x 29.2 cm sheet, 29.3 x 29.5 cm modular sheet and with an approximately 2 mm joint. Composite with 41% quality materials, pre-consumer recycled glass and 59% post-consumer recycled glass.

AUREO MODERN
Transparent and 24k gold leaf patterned glass mosaic, obtained with the sandwich processing of two transparent glasses of different thicknesses with an inner 24k gold leaf, industrially produced in the same of 2 x 2 cm, 1 x 1 cm tiles, with a thickness of approximately 4 mm, assembled on a 31.6 x 31.6 TREND plus support with an approximately 1 mm joint and an overall weight of approximately 8 kg/m². It is available in Yellow gold, White gold and Platinum white with smooth or corrugated surface.
Composite with 34% quality materials, pre-consumer recycled glass and 66% post-consumer recycled glass.

VOCI DI CAPITOLATO

VITREO
Mosaico di vetro semitrasparente colorato in fusione, formato da tessere quadrate di dimensione 1 x 1 cm e 2 x 2 cm, per uno spessore di circa 4 mm, bisellate, assemblate su supporto TREND plus, in dimensioni 31,6 x 31,6 cm con fuga pari a circa 1 mm. Composto fino a un massimo di 45% di materiale nobile, vetro riciclato pre-consumo, e fino a un massimo di 55% di verto riciclato post-consumo.

BRILLANTE
Mosaico di vetro semitrasparente colorato in fusione, venato di smalti e avventurina, formato da tessere quadrate di dimensione 1 x 1 cm e 2 x 2 cm, per uno spessore di circa 4 mm, bisellate, assemblate su supporto TREND plus, in dimensioni 31,6 x 31,6 cm con fuga pari a circa 1 mm. Composto al 41% di materiale nobile, vetro riciclato pre-consumo e al 59% di vetro riciclato post-consumo.

SHINING
Mosaico di vetro semitrasparente colorato in fusione, con effetto iridescente ottenuto con trattamento a caldo da soluzioni di metalli semipreziosi. Formato da tessere quadrate di dimensione 1 x 1 cm e 2 x 2 cm, per uno spessore di circa 4 mm, bisellate, assemblate su supporto TREND plus, in dimensioni 31,6 x 31,6 cm con giunto pari a circa 1 mm. Composto al 41% di materiale nobile,vetro riciclato pre-consumo e al 59% di vetro riciclato post-consumo.

FEEL
Mosaico di vetro semitrasparente colorato in fusione, formato da tessere quadrate di dimensione 1 x 1 cm e 2 x 2 cm, per uno spessore di circa 4 mm, bisellate, assemblate su supporto TREND plus, in dimensioni 31,6 x 31,6 cm con fuga pari a circa 1 mm. Composto al 20% di materiale nobile, vetro riciclato pre-consumo, e al 80% vetro riciclato post-consumo.

HEXAGONAL
Mosaico di vetro semitrasparente colorato in fusione, venato di smalti e avventurina, formato da tessere esagonali con lato di dimensione 1,8 cm, per uno spessore di circa 5 mm, bisellate, assemblate su supporto TREND plus, in fogli di dimensioni 32,6 x 35 cm con fuga pari a circa 2 mm. Composto al 41% di materiale nobile, vetro riciclato pre-consumo e al 59% materiale riciclato post-consumo.

SQUARE
Mosaico di vetro semitrasparente colorato in fusione, venato di smalti e avventurina, formato da tessere quadrate con lato di dimensione 4 cm, per uno spessore di circa 4 mm, bisellate, assemblate su supporto TREND plus, in fogli di dimensioni 29,3 x 29,3 cm con fuga pari a circa 2 mm. Composto al 41% di materiale nobile, vetro riciclato pre-consumo e al 59% materiale riciclato post-consumo.

RECTANGULAR
Mosaico di vetro semitrasparente colorato in fusione, venato di smalti e avventurina, formato da tessere rettangolari con lato di dimensione 2 x 4 cm, per uno spessore di circa 4 mm, bisellate, assemblate su supporto TREND plus, in fogli di dimensioni 31,3 x 29,2 cm, il modulo di dimensioni 29,3 x 29,5 cm con fuga pari a circa 2 mm. Composto al 41% di materiale nobile, vetro riciclato pre-consumo e al 59% materiale riciclato post-consumo.

AUREO MODERN
Mosaico stampato di vetro trasparente e foglia d'oro 24k ottenuto dalla lavorazione a sandwich di due vetri trasparenti di diverso spessore con una foglia d'oro 24k all'interno, prodotto industrialmente sotto forma di tessere di dimensione 2 x 2 cm, 1x1cm, per uno spessore di circa 4 mm, assemblato su supporto TREND plus in formati 31,6 x 31,6 cm, con fuga pari a circa 1 mm e un peso complessivo di circa 8 kg/m².
E' disponibile in versione Yellow gold, White gold e Platinum white con superficie liscia o ondulata.
Composto al 34% di materiale nobile, vetro riciclato pre-consumo e al 66% di verto riciclato post-consumo.

ARTICLES DE CAHIER DES CHARGES

VITREO
Mosaïque en verre semi-transparent coloré en fusion, formée de tesselles carrées de dimension 1 x 1 cm et 2 x 2 cm, pour une épaisseur d'environ 4 mm, biseautées, assemblées sur support TREND plus, de dimensions 31,6 x 31,6 cm avec joint équivalent à environ 1 mm. Composée jusqu'à un maximum de 45% de matériels nobles, verre recyclé pré-consommation et jusqu'à un maximum de 55% de verre recyclé post-consommation.

BRILLANTE
Mosaïque en verre semi-transparent coloré en fusion, aspect veiné émaux et aventurine, formée de tesselles carrées de dimension 1 x 1 cm et 2 x 2 cm, pour une épaisseur d'environ 4 mm, biseautées, assemblées sur support TREND plus, de dimensions 31,6 x 31,6 cm avec joint équivalent à environ 1 mm. Composée à 41% de matériel noble, verre recyclé pré-consommation et à 59% de verre recyclé post-consommation.

SHINING
Mosaïque en verre semi-transparent coloré en fusion, avec effet irisé obtenu par un traitement à chaud de solutions de métaux semi-précieux. Formée de tesselles carrées de dimension 1 x 1 cm et 2 x 2 cm, pour une épaisseur d'environ 4 mm, biseautées, assemblées sur support TREND plus, de dimensions 31,6 x 31,6 cm avec joint équivalent à environ1 mm. Composée à 41% de matériel noble, verre recyclé pré-consommation et à 59% de verre recyclé post-consommation.

FEEL
Mosaïque en verre semi-transparent coloré en fusion, formée de tesselles carrées de dimension 1 x 1 cm et 2 x 2 cm, pour une épaisseur d'environ 4 mm, biseautées, assemblées sur support TREND plus, de dimensions 31,6 x 31,6 cm avec joint équivalent à environ 1 mm. Composée à 20% de matériel noble, verre recyclé pré-consommation et à 80% de verre recyclé post-consommation.

HEXAGONAL
Mosaïque en verre semi-transparent coloré en fusion, aspect veiné émaux et aventurine, formée de tesselles hexagonales avec côté de dimension 1,8 cm pour une épaisseur d'environ 5 mm, biseautées, assemblées sur support TREND plus, en feuilles de dimensions 32,6 x 35,0 cm avec joint équivalent à environ 2 mm. Composée à 41% de matériel noble, verre recyclé pré-consommation et à 59% de matériel recyclé post-consommation.

SQUARE
Mosaïque en verre semi-transparent coloré en fusion, veinée d'émaux et d'aventurine, composée de tesselles carrées en dimension 4 x 4cm, d'environ 4 mm d'épaisseur, biseautées, assemblées sur support TREND plus, en feuilles de 29,3 x 29,3 cm avec un joint d'environ 2 mm. Composé de 41% de matériaux nobles, de verre recyclé avant consommation et de 59% de matériaux recyclés après consommation.

RECTANGULAR
Mosaïque en verre semi-transparent coloré en fusion, veinée d'émaux et d'aventurine composée de tesselles rectangulaires en dimension 2 x 4 cm, d'environ 4 mm d'épaisseur, biseautées, assemblées sur support TREND plus, en feuilles de 31,3 x 29,2 cm avec un joint d'environ 2 mm. Composé de 41% de matériaux nobles, de verre recyclé avant consommation et de 59% de matériaux recyclés après consommation.

AUREO MODERN
Mosaïque imprimée en verre transparent et feuille d'or 24k obtenue grâce au travail à sandwich de deux verres transparents de différente épaisseur avec une feuille d'or 24k à l'intérieur, produite industriellement sous forme de tesselles de dimension 2 x 2 cm, 1 x 1 cm, pour une épaisseur d'environ 4 mm, assemblée sur support TREND plus aux formats 31,6 x 31,6 cm, avec joint équivalent à 1 mm et poids total d'environ 8 kg/m². Disponible en version Yellow gold, White gold et Platinum white avec surface lisse ou ondulée. Composée à 34% de matériel noble, verre recyclé pré-consommation et à 66% de verre recyclé post-consommation.

AUSSCHREIBUNGSTEXTE

VITREO
Halbtransparente Glasmosaiksteine, gefärbt beim Schmelzvorgang, quadratische Form mit Abmessungen von 1 x 1 cm und 2 x 2 cm und einer Stärke von etwa 4 mm, abgeschrägt und zusammengesetzt auf einem Träger vom Typ TREND plus mit Abmessungen von 31,6 x 31,6 cm und einer Fuge von etwa 1 mm. Verbundwerkstoff bestehend zu 45 % aus edlen Materialien, vor der Verwendung recyceltem Glas, und bis zu 55 % aus nach der Verwendung recyceltem Glas.

BRILLANTE
Halbtransparente Glasmosaiksteine, gefärbt beim Schmelzvorgang, geädert mit Emaille und Aventurinquarz, quadratische Form mit Abmessungen von 1 x 1 cm und 2 x 2 cm und einer Stärke von etwa 4 mm, abgeschrägt und zusammengesetzt auf einem Träger vom Typ TREND plus mit Abmessungen von 31,6 x 31,6 cm und einer Fuge von etwa 1 mm. Bestehend zu 41 % aus edlen Materialien, vor der Verwendung recyceltem Glas, und zu 59 % aus nach der Verwendung recyceltem Glas.

SHINING
Halbtransparente Glasmosaiksteine, gefärbt beim Schmelzvorgang und mit irisierendem Effekt, der durch eine Warmbehandlung mit Lösungen von Halbedelmetallen erhalten wird. Quadratische Form mit Abmessungen von 1 x 1 und 2 x 2 cm und einer Stärke von etwa 4 mm, abgeschrägt und zusammengesetzt auf einem Träger vom Typ TREND plus mit Abmessungen von 31,6 x 31,6 cm und einer Fuge von etwa 1 mm. Bestehend zu 41 % aus edlen Materialien, vor der Verwendung recyceltem Glas, und zu 59 % aus nach der Verwendung recyceltem Glas.

FEEL
Halbtransparente Glasmosaiksteine, gefärbt beim Schmelzvorgang, quadratische Form mit Abmessungen von 1 x 1 und 2 x 2 cm und einer Stärke von etwa 4 mm, abgeschrägt und zusammengesetzt auf einem Träger vom Typ TREND plus mit Abmessungen von 31,6 x 31,6 cm und einer Fuge von etwa 1 mm. Bestehend zu 20 % aus edlen Materialien, vor der Verwendung recyceltem Glas, und zu 80 % aus nach der Verwendung recyceltem Glas.

HEXAGONAL
Halbtransparente Glasmosaiksteine, gefärbt beim Schmelzvorgang, geädert mit Emaille und Aventurinquarz, sechskantige Form mit einer Seitenlänge von 1,8 cm und einer Stärke von etwa 5 mm, abgeschrägt und zusammengesetzt auf einem Träger vom Typ TREND plus mit Abmessungen von 32,6 x 35,0 cm und einer Fuge von etwa 2 mm. Bestehend zu 41 % aus edlen Materialien, vor der Verwendung recyceltem Glas, und zu 59 % aus nach der Verwendung recyceltem Material.

SQUARE
Halbtransparentes Glasmosaik, beim Schmelzvorgang gefaerbt, mit Emaille und Aventurinquarz geädert, bestehend aus quadratischen Mosaiksteinchen mit 4 cm. Seitenlaenge und einer Stärke von etwa 4 mm, abgeschrägt, und auf TREND plus-Träger montiert; Abmessung der Blaetter 29,3 x 29,3 cm und etwa 2 mm. Fuge. Bestehend aus 41 % edlen Materialien, Pre-Consumer-Recyclingglas und 59 % Post-Consumer-Recyclingmaterial.

RECTANGULAR
Halbtransparentes Glasmosaik, beim Schmelzvorgang gefaerbt, mit Emaille und Aventurinquarz geädert, bestehend aus rechteckigen Mosaiksteinchen mit 2 x 4 cm. Seitenlaenge und einer Stärke von etwa 4 mm, abgeschrägt, und auf TREND plus-Träger montiert; Abmessung der Blaetter 31.3 x 29.2 cm, Modulgroesse 29,3 x 29,5 cm.und etwa 2 mm. Fuge. Bestehend aus 41 % edlen Materialien, Pre-Consumer-Recyclingglas und 59 % Post-Consumer-Recyclingmaterial.

AUREO MODERN
Bedruckte Mosaiksteine aus transparentem Glas und Goldfolie 24k in Sandwichbauweise, wobei zwei transparente Glasscheiben unterschiedlicher Stärke eine Goldfolie 24k umschließen. Industriell hergestellt und zugeschnitten zu quadratischen Steinen mit Abmessungen von 2 x 2 und 1 x 1 cm sowie einer Stärke von etwa 4 mm. Zusammengesetzt auf einem Träger vom Typ TREND plus mit den Abmessungen 31,6 x 31,6 cm, einer Fuge von etwa 1 mm und einem Gesamtgewicht von etwa 8 kg/m². Erhältlich in den Ausführungen Yellow gold, White gold und Platinum white, mit glatter oder gewellter Oberfläche. Bestehend zu 34 % aus edlen Materialien, vor der Verwendung recyceltem Glas, und zu 66 % aus nach der Verwendung recyceltem Glas.

CAPITULACIÒN

VITREO
Mosaico de vidrio semitransparente coloreado por fusión, formado por teselas cuadradas de 1 x 1 y 2 x 2 cm, con un espesor de aproximadamente 4 mm, biseladas, ensambladas en soporte TREND plus, tamaño 31,6 x 31,6 cm con junta igual a aproximadamente 1 mm. Compuesto por hasta un 45% de materiales nobles, vidrio reciclado preconsumo, y hasta un máximo de 55% de vidrio reciclado postconsumo.

BRILLANTE
Mosaico de vidrio semitransparente coloreado por fusión, veteado de esmaltes y aventurina, formado por teselas cuadradas de 1 x 1 y 2 x 2 cm, con un espesor de aproximadamente 4 mm, biseladas, ensambladas en soporte TREND plus, tamaño 31,6 x 31,6 cm con junta igual a aproximadamente 1 mm. Compuesto por un 41% de materiales nobles, vidrio reciclado preconsumo y un 59% de vidrio reciclado postconsumo.

SHINING
Mosaico de vidrio semitransparente coloreado por fusión, con efecto iridiscente obtenido por tratamiento en caliente de soluciones de metales semipreciosos. Formado por teselas cuadradas de 1 x 1 y 2 x 2 cm, con un espesor de aproximadamente 4 mm, biseladas, ensambladas en soporte TREND plus, tamaño 31,6 x 31,6 cm con junta igual a aproximadamente 1 mm. Compuesto por un 41% de materiales nobles, vidrio reciclado preconsumo y un 59% de vidrio reciclado postconsumo.

FEEL
Mosaico de vidrio semitransparente coloreado por fusión, formato por teselas cuadradas de 1 x 1 y 2 x 2 cm, con un espesor de aproximadamente 4 mm, biseladas, ensambladas en soporte TREND plus, tamaño 31,6 x 31,6 cm con junta igual a aproximadamente 1 mm. Compuesto por un 20% de materiales nobles, vidrio reciclado preconsumo y un 80% de vidrio reciclado postconsumo.

HEXAGONAL
Mosaico de vidrio semitransparente coloreado por fusión, veteado de esmaltes y aventurina, formado por teselas con lado de 1,8 cm, con un espesor de aproximadamente 5 mm, biseladas, ensambladas en soporte TREND plus, en láminas de 32,6 x 35,0 cm, con junta igual a aproximadamente 2 mm. Compuesto por un 41% de materiales nobles, vidrio reciclado preconsumo y un 59% de material reciclado postconsumo.

SQUARE (CUADRADO)
Mosaico de vidrio semi transparente coloreado en fusión, veteado con esmaltes y avventurina, formado por teselas cuadradas de 4 cm por lado y 4 mm aproximados de grosor, biseladas, montadas en soporte TREND plus, en hojas de 29,3 x 29,3 cm con junta aproximada de 2 mm. Compuesto por un 41% de material noble, vidrio reciclado pre consumo y un 59% de material reciclado post consumo.

RECTANGULAR
Mosaico de vidrio semi transparente coloreado en fusión, veteado con esmaltes y avventurina, formado por teselas rectangulares de 2 x 4 cm de lado y 4 mm aproximados de grosor, biseladas, montadas en soporte TREND plus, en hojas de 31,3 x 29,2 cm, el módulo de 29,3 x 29,5 cm con una junta aproximada de 2 mm. Compuesto por un 41% de material noble, vidrio reciclado pre consumo y un 59% de material reciclado post consumo.

AUREO MODERN
Mosaico grabado de vidrio transparente y lámina de oro 24k obtenido por medio de elaboración tipo sandwich de dos cristales transparentes de distinto grosor con una lámina de oro 24k en su interior, producido industrialmente en forma de teselas de 2 x 2 cm, 1 x 1 cm, con un espesor de aproximadamente 4 mm, ensamblado en soporte TREND plus, en formato 31,6 x 31,6 cm, con junta de aproximadamente 1 mm y un peso total de unos 8 kg/m². Está disponible en versión Yellow gold, White gold y Platinum white con superficie lisa u ondulada.Compuesto por un 34% de materiales nobles, vidrio reciclado preconsumo y un 66% de vidrio reciclado postconsumo.

ОБЩИЕ СВЕДЕНИЯ

VITREO
Мозаика из полупрозрачного стекла, окрашенного в массе, квадратной формы, форматом 1 x 1 см и 2 x 2 см, толщиной около 4мм, с ограненной кромкой, уложенная на основу TRENDplus, размером 31,6 x 31,6 см, со швом, равным приблизительно 1 мм. Состоит максимум до 45% из ценного материала, вторично переработанного стекла "до потребителя" и максимум до 55% из вторично переработанного стекла "после потребителя".

BRILLANTE
Мозаика из полупрозрачного стекла, окрашенного в массе, с прожилками из смальты и авантюрина, квадратной формы, форматом 1 x 1 см и 2 x 2 см, толщиной около 4 мм, с ограненной кромкой, уложенная на основу TRENDplus, размером 31,6 x 31,6 см, со швом, равным приблизительно 1 мм. Состоит на 41% из ценного материала, вторично переработанного стекла "до потребителя" и на 59% из вторично переработанного стекла "после потребителя".

SHINING
Мозаика из полупрозрачного стекла, окрашенного в массе, с эффектом радужного сияния, получаемого при горячей обработке растворами полудрагоценных металлов. Квадратной формы, форматом 1 x 1 см и 2 x 2 см, толщиной около 4 мм, с ограненной кромкой, уложенная на основу TRENDplus, размером 31,6 x 31,6 см, со швом, равным приблизительно 1 мм. Состоит на 41% из ценного материала, вторично переработанного стекла "до потребителя" и на 59% из вторично переработанного стекла "после потребителя".

FEEL
Мозаика из полупрозрачного стекла, окрашенного в массе, квадратной формы, форматом 1 x 1 см и 2 x 2 см, толщиной около 4 мм, с ограненной кромкой, уложенная на основу TRENDplus, размером 31,6 x 31,6 см, со швом, равным приблизительно 1 мм. Состоит на 20% из ценного материала, вторично переработанного стекла "до потребителя" и на 80% из вторично переработанного стекла "после потребителя".

HEXAGONAL
Мозаика из полупрозрачного стекла, окрашенного в массе, с прожилками из смальты и авантюрина, шестиугольной формы, с размером одной стороны 1,8 см, толщиной около 5 мм, с ограненной кромкой, уложенная на основу TRENDplus, размером 32,6 x 35,0 см, со швом, равным приблизительно 2 мм. Состоит на 41% из ценного материала, вторично переработанного стекла "до потребителя" и на 59% из вторично переработанного материала "после потребителя".

SQUARE
Мозаика из полупрозрачного стекла, окрашенного в массе, с прожилками из смальты и авантюрина, квадратной формы, форматом 4 x 4 см, толщиной около 4 мм, с ограненной кромкой, уложенная на основу TREND plus, размер листа 29,3 x 29,3 см, со швом, равным приблизительно 2 мм. Состоит на 41% из ценного материала, вторично переработанного стекла "до потребителя" и на 59% из вторично переработанного стекла "после потребителя".

RECTANGULAR
Мозаика из полупрозрачного стекла, окрашенного в массе, с прожилками из смальты и авантюрина, прямоугольной формы, форматом 2 x 4 см, толщиной около 4 мм, с ограненной кромкой, уложенная на основу TREND plus, размер листа 31,3 x 29,2 см, размер модуля 29,3 x 29,5 см, со швом, равным приблизительно 2 мм. Состоит на 41% из ценного материала, вторично переработанного стекла "до потребителя" и на 59% из вторично переработанного стекла "после потребителя".

AUREO MODERN
Изготовленная промышленным способом мозаика из прозрачного стекла и золотой фольги 24 карат, полученная методом сандвича из двух прозрачных стекол различной толщины с расположенным внутри листом золотой фольги 24 карат, порезанная на форматы 2 x 2 см и 1 x 1 см, толщиной около 4 мм, уложенная на основу TRENDplus, размером 31,6 x 31,6 см, со швом, равным приблизительно 1мм и общим весом около 7 кг/м2. Доступна в вариантах Yellow gold, White gold и Platinum white с гладкой или волнистой поверхностью. Состоит на 34% из ценного материала, вторично переработанного стекла "до потребителя" и на 66% из вторично переработанного стекла "после потребителя".



Victorian mix
104 (20%), 138 (20%), 236 (20%), 238 (29%), 239 (20%)
(2 x 2 cm | 3/4" x 3/4")

SUGGESTED GROUT COLORS

FUGANTI COLORATI | JOINTS COLORES | FARBIGE FUGENMASSEN | JUNTA COLORADA | ЦВЕТНЫЕ ЗАПОЛНИТЕЛИ ШВОВ

BIANCO ASSOLUTO	
BIANCO GHIACCIO	
BIANCO TITANIO	
GRIGIO PERLA	
GRIGIO SETA	
GRIGIO PIOMBO	
GRIGIO CEMENTO	
GRIGIO ARDESIA	
NERO GRAFITE	
NERO CARBONIO	
AVORIO	
NATURALE	
TRAVERTINO	
SABBIA	
GREIGE	
TORTORA	
TABACCO	
CACAO	
CUOIO	
CAFFÈ	
AZZURRO PASTELLO	
AZZURRO POLVERE	
AZZURRO CARAIBI	
BLU AVIO	
BLU DENIM	
BLU ZAFFIRO	
VERDE SALVIA	
VERDE SMERALDO	
VERDE PRATO	
VERDE PINO	
ROSA CIPRIA	
VIOLA AMETISTA	
ROSSO ORIENTE	
ROSSO MATTONE	
GIALLO VANIGLIA	
CRYSTAL	

Suggested grout colors are indicative and are intended for reference only. Adhere strictly to the manufacturer's instructions.
Contact Sales Office for more information.

Distributor Hawaii & Guam
EVERGREEN BY DEBRA, LLC
• Ceramic & Glass Tile • Art Images in Hard Surfaces
• Planters in Ceramic & Fiberglass • Diamond Tools
Woman Owned Small Business
Certified DBE
47-388 Kamehameha Hwy
Kaneohe, HI 96744-4736 USA
Ph 808-239-6599 Fax 808-239-8556
EvergreenbyDebra.com

September 2022

Reproduction of any part of this book and publication on the internet or on any other medium is not permitted without TREND Group's written permission.
©2022 TREND Group - All rights reserved

Colors in glass and ink are different, so the product shades as reproduced here are intended for reference only.

trend-group.com

trend-group.com

TREND®

Born with style