




CEMENTO WHITE Available in Honed and Textured R11 finish











CEMENTO SAND Available in Honed and Textured R11 finish












CEMENTO ARGENT Available in Honed and Textured R11 finish

































CEMENTO BLACK









HN HONED	COLORS	[SIZES]	MOSAICS	[TRIMS
KII TEATORED	AVAVAVAV	12" x 24"	24" x 24"	24" x 48"
	(HN)	IRG1224187	IRG2424187	IRG2448187
CEMENTO WHITE	RII	IRT1224187	IRT2424187	IRT2448187
	HN	IRG1224185	IRG2424185	IRG2448185
CEMENTO SAND	RII	IRT1224185	IRT2424185	IRT2448185
	HN	IRG1224182	IRG2424182	IRG2448182
CEMENTO ARGENT	RII	IRT1224182	IRT2424182	IRT2448182
	HN	IRG1224184	IRG2424184	IRG2448184
CEMENTO GREIGE	RII	IRT1224184	IRT2424184	IRT2448184
	HN	IRG1224186	IRG2424186	IRG2448186
CEMENTO TOUPE	RII	IRT1224186	IRT2424186	IRT2448186
4	(HN)	IRG1224183	IRG2424183	IRG2448183
CEMENTO BLACK	RII	IRT1224183	IRT2424183	IRT2448183

IRG12M0187 IRG12M0185 IRG12M0182 IRG12M0184 IRG12M0186 IRG12M0183	CEMENTO WHITE HONED MOSAIC 2" X 2"	CEMENTO SAND HONED MOSAIC 2" X 2"	CEMENTO ARGENT HONED MOSAIC 2" X 2"	CEMENTO GREIGE HONED MOSAIC 2" X 2"	CEMENTO TOUPE HONED MOSAIC 2" X 2"	CEMENTO BLACK HONED MOSAIC 2" X 2"
	IRG12MO187	IRG12MO185	IRG12MO182	IRG12MO184	IRG12MO186	IRG12M0183

TRIM
4" X 24" Honed

BULLNOSE

 CEMENTO WHITE
 IRG 424BT187

 CEMENTO SAND
 IRG 424BT185

 CEMENTO ARGENT
 IRG 424BT182

 CEMENTO GREIGE
 IRG 424BT184

 CEMENTO TOUPE
 IRG 424BT186

 CEMENTO BLACK
 IRG 424BT183

COVEBASE TRIM 6" X 12" Honed

X 12" Honed

 CEMENTO WHITE
 IRG612C187

 CEMENTO SAND
 IRG612C185

 CEMENTO ARGENT
 IRG612C182

 CEMENTO GREIGE
 IRG612C184

 CEMENTO TOUPE
 IRG612C186

 CEMENTO BLACK
 IRG612C183

*When preparing the order, the surfaces are selected randomly, therefore, the continuity of patterns is not guaranteed.


*Color samples are for general reference only. The is made with all natural materials, therefore, is subject to variation in color and/or texture.

TECHNICAL INFORMATION

PHYSICAL PROPERTIES	ASTM TEST	INDUSTRY STANDARDS	IRIS US RESULTS
Water Absorption	C373	Impervious < 0.5%	≤ 0.1%
Thickness Dimension	C499	Range \pm 0.04 Inc. Max.	$\leq \pm 0.04$ Inc.
Facial Dimension	C499	± 0.25 %	≤ ± 0.25%
Warpage Average Diagonal	C485	± 0.40 %	≤ ± 0.40%
Warpage Average Edge	C485	± 0.40 %	≤ ± 0.40%
Wedging	C502	± 0.25 %	≤ ± 0.25%
Bond Strength	C482	≥ 50 psi	≥ 200 psi
Breaking Strength	C648	≥ 250 lbf	≥ 400 lbf
Hardness (MOHS)	Scratch Test (No regulated)	Range 0 — 10	≥ 7
Visible Abrasion Resistance for Glaze Tiles	C1027	No Requirement, Range 0 – 5	Class 4
Frost Resistance	C1026	No sample must show alterations to surface	No evidence of Damage
Chemical Resistance	C650	No Requirement, Range E — A	Class A
Stain Resistance	C1378	No Requirement, Range E — A	Class A*
DCOF - Honed	BOT 3000	≥ 0.42*	≥ 0.50
DCOF - R11 Textured	BOT 3000	≥ 0.42*	≥ 0.65
Aesthetic Classification	Visual Evaluation Shade & Textures	No Requirement, Range V0 — V4	V2

^{*}DCOF (Coefficient of Friction); all values are given for Matte or Honed material. No values are given for Polished material. The above information is a subject to change. Individual product testing can be conducted by request.

PACKAGING			24" x 48"	MOSAICS 2"x2" on 12"x12" sheet	BULLNOSE TRIM 4"x 24"	COVEBASE TRIM 6"x12
Box/Pieces	8	4	4	5	16	8
Box/Sq. Ft	15.50	15.50	31.00	4.84	10.33	3.88
Pallet/Box	32	32	20			
Pallet/Sq. Ft	496.00	496.00	620.00			
Thickness (mm)	8	8	8	. 8	8	7.5
Weight Lb/Sq.Ft.	3.55	3.55	3.83	3.55	2.00	1.70



Due to the paper finish and the printing settings (or your screen settings if viewed digitally), it is normal to see a slight difference in the colors and textures shown on the images in the colorgue, with the actual colors and textures of the product.